

SITE FURNISHINGS CATALOG • 2026



DuMor

# TABLE OF CONTENTS

INTRODUCTION	1-3	BIKE RACKS	124-126
DUMOR COLLECTIONS Families of benches, receptacles, planters, and tables coordinated by matching style	4-67	GRILLS & ASH URNS	127
POST MOUNT BENCHES Wood or recycled plastic park style benches	68-77	BOLLARDS	128
LITTER AND RECYCLING RECEPTACLES	78-89	CUSTOM PLAQUES	129
CHAIRS AND TABLES	90-119	CUSTOM PRODUCTS	130-135
PLANTERS	122-123	SUSTAINABILITY COMMITMENT	136
		NUMERICAL PRODUCT INDEX	137

## DUMOR COLLECTIONS INDEX

 Benches: 490, 491, 492, 493, 494, 495, 496, 497, 498	6-11	 Benches: 282, 283, 284, 285, 446, 447	34-37	 Benches: 470, 471, 472, 473 Receptacle: 474 Table: 475	52-55
 Benches: 93, 95	12-13	 Benches: 160, 164, 165, 166, 168, 173	38-41	 Benches: 59, 104 Receptacle: 89	56-57
 Benches: 94, 117, 118 Receptacle: 17	14-17	 Benches: 190, 191 Receptacle: 429	42-43	 Bench: 530	58-59
 Benches: 19, 57, 58, 91, 92, 106 Receptacles: 102, 124 Table: 443 Planter: 122	18-25	 Benches: 505, 506, 507	44-47	 Benches: 520, 521, 522, 523, R520, R521, 528, WR520, WR521, W520, W521, W522, W523, 524 Table: 525, 526	60-66
 Benches: 119, 120	26-27	 Benches: 270, 271 Receptacle: 272	48-49	 Contour Strap Curved Benches: RI58, R92, RI119, R120, RI93, R95, RI446, R283, RI93P, R95P, RI140, R144	67
 Benches: 140, 143, 144, 162 Receptacles: 148, 152	28-33	 Benches: 500, 501 Receptacle: 502	50-51		

# THE DUMOR DIFFERENCE

**THE EXPERIENCE** Since 1984, DuMor has focused on combining the best products, people and Representatives to deliver a superior customer experience. Our people, manufacturing the finest products, are represented by teams of talented, dedicated individuals across the U.S. and Canada who deliver the DuMor customer experience on a local level. Company and Representative dedication to customer service has always been at the forefront of our business model. From your initial discussion with a DuMor Representative, through the specifying and manufacturing processes, to final product delivery, we are driven to provide an exceptional customer experience.

**THE QUALITY** A cornerstone in the original DuMor vision was to design and manufacture outdoor furniture of exceptional quality. We are known throughout the industry as a brand that exemplifies the value of well built, superior quality products. Based in central Pennsylvania, DuMor is proud of our dedicated craftsmen who build each product with precision. Established and trusting relationships with quality vendors ensure we source the best raw materials for use in manufacturing. Efficient, quality focused manufacturing processes coupled with our people and materials, enable DuMor to set the standard for quality in the site furnishing industry.

**THE VERSATILITY** Certain unique spaces demand a product with a perfect fit. At DuMor, we meet that challenge by working with Architects and Project Planners to bring custom product ideas to life. We have a dedicated team of designers and draftsmen who specialize in making custom products a reality in a timely manner. Additionally, changes to standard products (such as additional armrests, custom color matching, unique bench length, and laser cut designs) are no problem. We bring to the table decades of experience making site furnishings that turn your vision into reality.

**THE DESIGN** Good Design Matters. Ingrained in our culture is a desire to consistently introduce new and relevant products for our customers. Relevant means we aspire to have a product line as extensive and diverse as the projects that Landscape Architects and Planners design. Our goal is to design site furnishings that fit any space whether matching a contemporary space, accentuating traditional architecture, or blending into the nature of a park. The DuMor product line lives through the weather and industry trends because good design is timeless.

**WHY WE DO WHAT WE DO** We believe great outdoor spaces make the world better. We think communities flourish when they have public space to enjoy. We think commercial spaces should include functional site amenities. We want to make spaces more comfortable, accessible to everyone, functional, and more beautiful. It's a simple thing that drives us. We love what we do!



## THERMALLY MODIFIED WOOD

Thermally Modified Red Oak utilizes a specialized process in which the wood is heated (using steam) to a very high temperature to transform it on a molecular level into a highly-durable outdoor material. With thermal modification the lumber undergoes a fundamental change – in which the sugars and starches caramelize making the wood a non-food source and the wood cell walls lock into place preventing the wood from absorbing water like that of unmodified wood. Model Number Designation -TMR



**THERMALLY MODIFIED RED OAK**

## WOOD

DuMor has selected the highest grade woods available for use on our products. "C" & Better Douglas Fir and Ipe are offered as standard wood options. Douglas Fir will be delivered coated in a clear preservative. Due to its density and estimated longevity left uncoated, Ipe will be delivered in its natural state without preservative. Model Number Designation - I (Ipe) and D (Douglas Fir)



**IPE**



**DOUGLAS FIR**

*As a natural product of our environment, wood will weather when placed outdoors. Signs of weathering include splitting, checking, and changing color. These are not covered by DuMor's warranty. Wood colors will vary. Please note that due to variations in photographic reproductions, natural wood grains and colors shown throughout may not be exact.*

## POLY LUMBER

Poly lumber is made from durable High-Density Polyethylene (HDPE), partially from recycled content. HDPE is a long lasting option that can withstand outdoor conditions for an extended period of time and will not require preservatives or paint to maintain its appearance. Model Number Designation - PL



**REDWOOD**



**CEDAR**




**GREY**



**WALNUT**

## WOOD GRAIN POLY LUMBER

Wood grain poly lumber is extruded with a multicolor tonal streaking and etched with a wood grain texture to achieve a realistic woodlike appearance and feel. Poly lumber is made from durable High-Density Polyethylene(HDPE), partially from recycled content. Only available on select products. Model Number Designation -TX



**BRAZILIAN WALNUT**



**ANTIQUE MAHOGANY**

*The best way to understand a material is to hold a sample. Material samples are free; contact your local DuMor Representative.*

# STANDARD POWDER COAT COLORS


DuMor standard powder coat color options utilize Super Durable resins, high-performance organic coatings that have superior UV durability compared to standard polyester resins. Prior to all top coats, DuMor products are powder coated with a zinc-rich primer for better adhesion and cathodic protection.



\*Juniper Green previously known as green. \*\*Safety Yellow and Harvest Yellow are not available as Super Durable.

# ADDITIONAL RAL POWDER COAT COLORS

DuMor also offers a wide range of RAL color options for minimal additional cost. Contact your local DuMor Representative for availability and samples.



POWDER COAT COLOR OPTIONS





# DUMOR COLLECTIONS

Families of benches, receptacles, planters, and tables  
coordinated by matching style



Shown in Forest Green finish/Ipe

## BENCH 490

### Douglas Fir slats

490-60D 6' LONG, 135 LBS.

490-80D 8' LONG, 157 LBS.

### Ipe slats

490-60I 6' LONG, 180 LBS.

490-80I 8' LONG, 217 LBS.

### Thermally Modified Red Oak slats

490-60TMR 6' LONG, 135 LBS.

490-80TMR 8' LONG, 157 LBS.

### Poly Lumber slats

490-60PL 6' LONG, 167 LBS.

490-80PL 8' LONG, 3 SUPPORTS, 239 LBS.


### Wood Grain Poly Lumber slats

490-60TX 6' LONG, 167 LBS.

490-80TX 8' LONG, 3 SUPPORTS, 239 LBS.

Optional armrest available upon request

- Cast aluminum end supports





491-60 Shown in Forest Green finish/lpe

## BENCH 491/492

### Douglas Fir slats

- 491-60D 6' LONG, W/ARMRESTS, 100 LBS.
- 491-80D 8' LONG, W/ARMRESTS, 115 LBS.
- 492-60D 6' LONG, 92 LBS.
- 492-80D 8' LONG, 107 LBS.

### Ipe slats

- 491-60I 6' LONG, W/ARMRESTS, 128 LBS.
- 491-80I 8' LONG, W/ARMRESTS, 153 LBS.
- 492-60I 6' LONG, 120 LBS.
- 492-80I 8' LONG, 145 LBS.

### Thermally Modified Red Oak slats

- 491-60TMR 6' LONG, W/ARMRESTS, 100 LBS.
- 491-80TMR 8' LONG, W/ARMRESTS, 115 LBS.
- 492-60TMR 6' LONG, 92 LBS.
- 492-80TMR 8' LONG, 107 LBS.

### Poly Lumber slats

- 491-60PL 6' LONG, W/ARMRESTS, 128 LBS.
- 491-80PL 8' LONG, 3 SUPPORTS, W/ARMRESTS, 183 LBS.
- 492-60PL 6' LONG, 120 LBS.
- 492-80PL 8' LONG, 3 SUPPORTS, 170 LBS.

### Wood Grain Poly Lumber slats

- 491-60TX 6' LONG, W/ARMRESTS, 128 LBS.
- 491-80TX 8' LONG, 3 SUPPORTS, W/ARMRESTS, 183 LBS.
- 492-60TX 6' LONG, 120 LBS.
- 492-80TX 8' LONG, 3 SUPPORTS, 170 LBS.


Optional armrest available upon request  
 • Cast aluminum end supports



492-60 Shown in Forest Green finish/lpe

492

491





Shown in Forest Green


## BENCH 493

493-60 6' LONG, 238 LBS.

493-80 8' LONG, 299 LBS.

Optional armrest available upon request

- Cast aluminum end supports





494-60 Shown in Forest Green



495-60 Shown in Forest Green

**BENCH 494/495**

494-60 6' LONG, W/ARMRESTS, 192 LBS.


494-80 8' LONG, W/ARMRESTS, 240 LBS.

495-60 6' LONG, 183 LBS.

495-80 8' LONG, 231 LBS.

Optional armrest available upon request

- Cast aluminum end supports






## BENCH 496

496-60 6' LONG, 216 LBS.

496-80 8' LONG, 287 LBS.

Optional armrest available upon request

- Cast aluminum end supports





497-60 Shown in Almond

**BENCH 497/498**


- 497-60 6' LONG, W/ARMRESTS, 186 LBS.
- 497-80 8' LONG, W/ARMRESTS, 228 LBS.
- 498-60 6' LONG, 177 LBS.
- 498-80 8' LONG, 219 LBS.

Optional armrest available upon request

- Cast aluminum end supports



498-60 Shown in Almond






Shown in Carlsbad

## BENCH 93

93-60 6' LONG, 292 LBS.

93-80 8' LONG, 354 LBS.

Optional armrest available upon request






Shown in Sudan

**BENCH 95**

95-60 6' LONG, 223 LBS.

95-80 8' LONG, 272 LBS.

Optional armrest available upon request





Shown in Bronze

## BENCH 94

94-60 6' LONG, 230 LBS.


94-80 8' LONG, 277 LBS.

Optional armrest available upon request

Mounting Options: Embedment (S-1), Surface

Mount (S-2), and Free Standing (S-5)

- 1" x 1" steel tube seating surface



### MOUNTING OPTIONS



S-1  
EMBEDMENT



S-2  
SURFACE MOUNT



S-5  
FREE STANDING



Shown in Bronze


## RECEPTACLE 17

17-22 22-GALLON, 200 LBS.

Cover Options: Standard, Recycling (RC), Bonnet Top (BT), and Dome (DM)

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

Emptying Method: Hinged cover, HDPE liner



### COVER OPTIONS

Standard



Additional Cover Options



RC

BT

DM

### MOUNTING OPTIONS



S-1  
EMBEDMENT



S-2  
SURFACE MOUNT



S-5  
FREE STANDING



Shown in Juniper Green

## BENCH 117

117-60 6' LONG, 223 LBS.


117-80 8' LONG, 275 LBS.

Optional armrest available upon request


Mounting Options: Embedment (S-1), Surface

Mount (S-2), and Free Standing (S-5)

- 2" x 1" steel tube seating surface



### MOUNTING OPTIONS





Shown in Deep Red

## BENCH 118

118-60 6' LONG, 227 LBS.


118-80 8' LONG, 274 LBS.

Optional armrest available upon request


Mounting Options: Embedment (S-1), Surface

Mount (S-2), and Free Standing (S-5)

- Contoured 1" x 1" steel tube seating surface



### MOUNTING OPTIONS



S-1  
EMBEDMENT



S-2  
SURFACE MOUNT



S-5  
FREE STANDING





58-60 Shown in Textured Black

**BENCH 58**

58-60 6' LONG, 300 LBS.

58-80 8' LONG, 361 LBS.

Optional armrest available upon request



Cast center armrest



Optional custom lettering



92-60 Shown in Textured Black

**BENCH 92**



92-60 6' LONG, 227 LBS.

92-80 8' LONG, 275 LBS.

Optional end/center armrest upon request



Cast center armrest






102-32SH Shown in Textured Black (w/shield)

## RECEPTACLE 102


- 102-22 22-GALLON, 236 LBS.
- 102-22SH 22-GALLON, W/OPTIONAL STEEL SHIELD, 258 LBS.
- 102-32 32-GALLON, 272 LBS.
- 102-32SH 32-GALLON, W/OPTIONAL STEEL SHIELD, 299 LBS.
- 102-40-RC 40-GALLON SPLIT STREAM RECYCLE, 278 LBS.
- 102-40SHRC 40-GALLON SPLIT STREAM RECYCLE, W/OPTIONAL STEEL SHIELD, 304 LBS.

Emptying Method: Side door emptying, HDPE liner

### Standard Options




### Additional Cover Options




Side door emptying

22 GAL.



32/40 GAL.




122-00SH Shown in Black (w/shield)

## PLANTER 122

- 122-00 STEEL PLANTER, 185 LBS.
- 122-00SH STEEL PLANTER W/OPTIONAL STEEL SHIELD, 201 LBS.

Add to unit price for self watering liner option

- Sturdy polyethylene liner
- Optional shield conceals liner






Shown in Black

**TABLE SET 443**

443-62 6' TABLE, (2) 6' BENCHES, 806 LBS.

443-82 8' TABLE, (2) 8' BENCHES, 974 LBS.

443-558-1 8', ADA ACCESSIBLE TABLE, (2) 5' BENCHES, 827 LBS.





Shown in Black

## BENCH 19

19-60 6' LONG, 379 LBS.

19-80 8' LONG, 457 LBS.

Optional armrest available upon request

- Steel 5/8" round rod seating surface



Cast center armrest




Optional custom lettering



31.6875"

27.5625"



74.25" / 98.25"



Shown in Black

**BENCH 106**

106-60 6' LONG, 264 LBS.


106-80 8' LONG, 319 LBS.

Optional end/center armrest available

- Steel 5/8" round rod seating surface



Cast center armrest





Shown in Bronze finish/Antique Mahogany

## BENCH 57

### Douglas Fir slats

57-60D 6' LONG, 198 LBS.

57-80D 8' LONG, 220 LBS.

### Ipe slats

57-60I 6' LONG, 243 LBS.

57-80I 8' LONG, 280 LBS.

### Thermally Modified Red Oak slats

57-60TMR 6' LONG, 198 LBS.

57-80TMR 8' LONG, 220 LBS.

### Poly Lumber slats

57-40PL 4' LONG, 194 LBS.

57-60PL 6' LONG, 229 LBS.

57-80PL 8' LONG, 3 SUPPORTS, 333 LBS.

### Wood Grain Poly Lumber slats

57-40TX 4' LONG, 194 LBS.

57-60TX 6' LONG, 229 LBS.

57-80TX 8' LONG, 3 SUPPORTS, 333 LBS.

Optional armrest available upon request

- Cast iron end supports

- 2" x 3" nominal slats




Cast center armrest



Optional custom lettering



27.5625"



31.6875"

50.25" / 74.25" / 98.25"



Shown in Bronze finish/Antique Mahogany

### BENCH 91

**Douglas Fir slats**

91-60D 6' LONG, 136 LBS.

91-80D 8' LONG, 151 LBS.

**Ipe slats**

91-60I 6' LONG, 164 LBS.

91-80I 8' LONG, 189 LBS.

**Thermally Modified Red Oak slats**

91-60TMR 6' LONG, 136 LBS.

91-80TMR 8' LONG, 151 LBS.

**Poly Lumber slats**

91-40PL 4' LONG, 137 LBS.

91-60PL 6' LONG, 164 LBS.

91-80PL 8' LONG, 3 SUPPORTS, 236 LBS.

**Wood Grain Poly Lumber slats**

91-40TX 4' LONG, 137 LBS.


91-60TX 6' LONG, 164 LBS.

91-80TX 8' LONG, 3 SUPPORTS, 236 LBS.

Optional armrest available upon request



Cast center armrest



Shown in Bronze finish/Antique Mahogany

### RECEPTACLE 124

**Douglas Fir slats**

124-31D 31-GALLON, 209 LBS.

**Ipe slats**

124-31I 31-GALLON, 255 LBS.

**Thermally Modified Red Oak slats**

124-31TMR 31-GALLON, 209 LBS.

**Poly Lumber slats**

124-31PL 31-GALLON, 219 LBS.

**Wood Grain Poly Lumber slats**

124-31TX 31-GALLON, 219 LBS.

Emptying Method: Lift off lid emptying, galvanized steel liner

**Standard Options**



FTO

**Additional Cover Options**




RC



BT



DM





Shown in Juniper Green


## BENCH 119

119-60 6' LONG, 299 LBS.

119-80 8' LONG, 359 LBS.

Optional armrest available upon request

- Contoured steel seat





Shown in Juniper Green


## BENCH 120

120-60 6' LONG, 250 LBS.

120-80 8' LONG, 298 LBS.

Optional armrest available upon request

- Contoured steel seat





Shown in Black


**BENCH 162**

162-60 6' LONG, 261 LBS.

162-80 8' LONG, 331 LBS.

Optional armrest available upon request

- Custom lettering available on side supports
- Laser cut backrest and 1" square tube seat





Shown in Black

## RECEPTACLE 148

148-22 22-GALLON, 233 LBS.

148-22SH 22-GALLON, W/OPTIONAL STEEL SHIELD, 255 LBS.

148-32 32-GALLON, 272 LBS.


148-32SH 32-GALLON, W/OPTIONAL STEEL SHIELD, 299 LBS.

148-40RC 40-GAL. SPLIT STREAM RECYCLE, 278 LBS.


148-40SHRC 40-GAL. SPLIT STREAM RECYCLE, W/OPTIONAL STEEL SHIELD, 304 LBS.

Emptying Method: Side door emptying, HDPE liner

### Standard Options



### Additional Cover Options



- Optional shield conceals liner



Side door emptying



Shown in Bronze

## BENCH 140

140-60 6' LONG, 282 LBS.


140-80 8' LONG, 343 LBS.

Optional armrest available upon request

- Custom lettering available on side supports



Cast center armrest





Shown in Bronze


### BENCH 144

144-60 6' LONG, 217 LBS.

144-80 8' LONG, 265 LBS.

Optional armrest available upon request

- Comfortable, contoured straps





Shown in Black finish/Cedar Poly Lumber

## BENCH 143

### Poly Lumber slats

143-40PL 4' LONG, 176 LBS.

143-60PL 6' LONG, 211 LBS.

143-80PL 8' LONG, 3 SUPPORTS, 306 LBS.

### Wood Grain Poly Lumber slats


143-40TX 4' LONG, 176 LBS.

143-60TX 6' LONG, 211 LBS.

143-80TX 8' LONG, 3 SUPPORTS, 306 LBS.

Optional armrest available upon request

- Custom lettering available on side supports





Shown in Black finish/Douglas Fir

## RECEPTACLE 152

### Douglas Fir slats

152-31D 31-GALLON, 209 LBS.

### Ipe slats

152-31I 31-GALLON, 255 LBS.

### Thermally Modified Red Oak slats

152-31TMR 31-GALLON, 209 LBS.

### Poly Lumber slats

152-31PL 31-GALLON, 219 LBS.

### Wood Grain Poly Lumber slats


152-31TX 31-GALLON, 219 LBS.

Emptying Method: Lift off lid emptying, galvanized steel liner

### Standard Options



### Additional Cover Options





Shown in Black


### BENCH 446

446-60 6' LONG, 245 LBS.

446-80 8' LONG, 308 LBS.

Optional armrest available upon request

- Cast aluminum end supports





282 Shown in Black

**BENCH 282/283**

**With Armrests**

282-60 6' LONG, 198 LBS.

282-80 8' LONG, 247 LBS.

**Without Armrests**

283-60 6' LONG, 180 LBS.


283-80 8' LONG, 229 LBS.

Optional armrest available upon request

- Cast aluminum end supports



283 Shown in Black





Shown in Black finish/Ipe

## BENCH 447

**Douglas Fir slats**

447-60D 6' LONG, 217 LBS.

447-80D 8' LONG, 272 LBS.

**Ipe slats**

447-60I 6' LONG, 254 LBS.

447-80I 8' LONG, 327 LBS.

**Thermally Modified Red Oak slats**

447-60TMR 6' LONG, 217 LBS.

447-80TMR 8' LONG, 272 LBS.



**Poly Lumber slats**

447-60PL 6' LONG, 229 LBS.

447-80PL 8' LONG, 269 LBS.

Optional armrest available upon request

- Cast aluminum end supports





284 Shown in Black finish/Ipe



285 Shown in Black finish/Walnut Poly Lumber

### BENCH 284/285

**Douglas Fir slats**

- 284-60D 6' LONG, W/ARMRESTS, 145 LBS.
- 284-80D 8' LONG, W/ARMRESTS, 171 LBS.
- 285-60D 6' LONG, 128 LBS.
- 285-80D 8' LONG, 153 LBS.

**Ipe slats**

- 284-60I 6' LONG, W/ARMRESTS, 179 LBS.
- 284-80I 8' LONG, W/ARMRESTS, 216 LBS.
- 285-60I 6' LONG, 162 LBS.
- 285-80I 8' LONG, 198 LBS.

**Thermally Modified Red Oak slats**


- 284-60TMR 6' LONG, W/ARMRESTS, 145 LBS.
- 284-80TMR 8' LONG, W/ARMRESTS, 171 LBS.
- 285-60TMR 6' LONG, 128 LBS.
- 285-80TMR 8' LONG, 153 LBS.

**Poly Lumber slats**

- 284-60PL 6' LONG, W/ARMRESTS, 152 LBS.
- 284-80PL 8' LONG, W/ARMRESTS, 180 LBS.
- 285-60PL 6' LONG, 135 LBS.
- 285-80PL 8' LONG, 162 LBS.

Optional armrest available upon request

- Cast aluminum end supports





160 Shown in Black



168 Shown in Argento

## BENCH 160/168

### Flat Bar Seat

160-60 6' LONG, 266 LBS.

160-80 8' LONG, 314 LBS.

Optional armrest available upon request




### Round Rod Seat

168-60 6' LONG, 239 LBS.

168-80 8' LONG, 284 LBS.



Cast center armrest





164 Shown in Argento



173 Shown in Forest Green

### BENCH 164/173

**Flat Bar Seat**

164-60 6' LONG, 205 LBS.


164-80 8' LONG, 239 LBS.

**Round Rod Seat**

173-60 6' LONG, 186 LBS.

173-80 8' LONG, 217 LBS.

Optional armrest available upon request





Shown in Bronze finish/Ipe

## BENCH 165

### Douglas Fir slats

165-60D 6' LONG, 222 LBS.

165-80D 8' LONG, 251 LBS.

### Ipe slats

165-60I 6' LONG, 264 LBS.

165-80I 8' LONG, 308 LBS.

Optional armrest available upon request

### Thermally Modified Red Oak slats


165-60TMR 6' LONG, 222 LBS.

165-80TMR 8' LONG, 251 LBS.

### Poly Lumber slats

165-60PL 6' LONG, 230 LBS.

165-80PL 8' LONG, 263 LBS.





Shown in Black finish/Ipe

## BENCH 166

### Douglas Fir slats

166-60D 6' LONG, 182 LBS.

166-80D 8' LONG, 204 LBS.

### Ipe slats

166-60I 6' LONG, 206 LBS.

166-80I 8' LONG, 236 LBS.

Optional armrest available upon request

### Thermally Modified Red Oak slats


166-60TMR 6' LONG, 182 LBS.

166-80TMR 8' LONG, 204 LBS.

### Poly Lumber slats

166-60PL 6' LONG, 187 LBS.

166-80PL 8' LONG, 210 LBS.





Shown in Hunter Green

## BENCH 190

190-60 6' LONG, 277 LBS.



190-80 8' LONG, 325 LBS.

Optional armrest available upon request

- Ductile iron end support



COORDINATING  
PLANTER ON PAGE 123





191 in Hunter Green


### BENCH 191

191-60 6' LONG, 205 LBS.

191-80 8' LONG, 239 LBS.

Optional armrest available upon request

- Ductile iron end support



429-32-S03 Shown in Hunter Green

### RECEPTACLE 429

429-32-FTO 32-GALLON, TOP DEPOSIT, 191 LBS.

429-32-S01 32-GALLON, SIDE DEPOSIT, 1 OPENING, 204 LBS.


429-32-S02 32-GALLON, SIDE DEPOSIT, 2 OPENINGS, 203 LBS.

429-32-S03 32-GALLON, SIDE DEPOSIT, 3 OPENINGS, 201 LBS.

Emptying Method: Hinged cover, HDPE liner

#### Standard Options

#### Additional Cover Options



Hinged cover emptying



505-60HC Shown in White



505-60INA Shown in White finish/Ipe

## BENCH 505

### With Armrests


- 505-60I 6' LONG, IPE SLATS, 186 LBS.
- 505-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 166 LBS.
- 505-60PL 6' LONG, POLY LUMBER SLATS, 160 LBS.
- 505-60TX 6' LONG, WG POLY LUMBER SLATS, 160 LBS.
- 505-60HC 6' LONG, STEEL SEAT AND BACKREST, 194 LBS.

### Without Armrests

- 505-60INA 6' LONG, IPE SLATS, 181 LBS.
- 505-60TMRNA 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 161 LBS.
- 505-60PLNA 6' LONG, POLY LUMBER SLATS, 155 LBS.
- 505-60TXNA 6' LONG, WG POLY LUMBER SLATS, 155 LBS.
- 505-60HCNA 6' LONG, STEEL SEAT AND BACKREST, 189 LBS.

Optional armrest available upon request

- Cast aluminum end supports





506-60TXHS Shown in White finish w/Horizontal Steel back and Antique Mahogany TX seat


## BENCH 506

### With Armrests

- 506-60I 6' LONG, IPE SLATS, 186 LBS.
- 506-60IHS 6' LONG, IPE SLATS AND STEEL BACKREST, 205 LBS.
- 506-60TMR 6' LONG, THERMALLY MODIFIED RED OAK, 166 LBS.
- 506-60TMRHS 6' LONG, THERMALLY MODIFIED RED OAK AND STEEL BACKREST, 195 LBS.
- 506-60PL 6' LONG, POLY LUMBER SLATS, 160 LBS.
- 506-60PLHS 6' LONG, POLY LUMBER SLATS AND STEEL BACKREST, 187 LBS.
- 506-60TX 6' LONG, WG POLY LUMBER SLATS, 160 LBS.
- 506-60TXHS 6' LONG, WG POLY LUMBER SLATS AND STEEL BACKREST, 187 LBS.
- 506-60HC 6' LONG, STEEL SEAT AND BACKREST, 194 LBS.

### Without Armrests

- 505-60INA 6' LONG, IPE SLATS, 181 LBS.
  - 505-60IHSNA 6' LONG, IPE SLATS AND STEEL BACKREST, 201 LBS.
  - 505-60TMRNA 6' LONG, THERMALLY MODIFIED RED OAK, 161 LBS.
  - 505-60TMRHSNA 6' LONG, THERMALLY MODIFIED RED OAK AND STEEL BACKREST, 191 LBS.
  - 505-60PLNA 6' LONG, POLY LUMBER SLATS, 155 LBS.
  - 505-60PLHSNA 6' LONG, POLY LUMBER SLATS AND STEEL BACKREST, 182 LBS.
  - 505-60TXNA 6' LONG, WG POLY LUMBER SLATS, 155 LBS.
  - 505-60TXHSNA 6' LONG, WG POLY LUMBER SLATS AND STEEL BACKREST, 182 LBS.
  - 505-60HCNA 6' LONG, STEEL SEAT AND BACKREST, 189 LBS.
- Optional armrest available upon request
- Cast aluminum end supports






507-60TX Shown in White finish/Antique Mahogany TX

**BENCH 507**

- 507-60I 6' LONG, IPE SLATS, 155 LBS.
  - 507-60TMR 6' LONG, THERMALLY MODIFIED RED OAK, 150 LBS.
  - 507-60PL 6' LONG, POLY LUMBER SLATS, 130 LBS.
  - 507-60TX 6' LONG, WG POLY LUMBER SLATS, 130 LBS.
  - 507-60HC 6' LONG, STEEL SEAT, 126 LBS.
- Optional armrest available upon request
- Cast aluminum end supports



507-60HC Shown in White finish






Shown in Textured Charcoal finish/Ipe

**BENCH 270**

- 270-60I 6' LONG, IPE SLATS, 178 LBS.
  - 270-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 138 LBS.
  - 270-60PL 6' LONG, POLY LUMBER SLATS, 187 LBS.
  - 270-60TX 6' LONG, WOOD GRAIN POLY LUMBER SLATS, 187 LBS.
- Optional armrest available upon request






Shown in Textured Charcoal finish/Ipe

### BENCH 271

- 271-60I 6' LONG, IPE SLATS, 123 LBS.
  - 271-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 103 LBS.
  - 271-60PL 6' LONG, POLY LUMBER SLATS, 123 LBS.
  - 271-60TX 6' LONG, WOOD GRAIN POLY LUMBER, 123 LBS.
- Optional armrest available upon request



Shown in Textured Charcoal


### RECEPTACLE 272

- 272-32-SO 32-GALLON, SIDE DEPOSIT, 109 LBS.
  - 272-32-FTO 32-GALLON, TOP DEPOSIT, 98 LBS.
- Emptying Method: Lift off lid emptying, HDPE liner

**Standard Options**



**Additional Cover Options**





Shown in Textured Silver finish/Ipe

## BENCH 500

500-60D 6' LONG, DOUGLAS FIR, 128 LBS.

500-60I 6' LONG, IPE, 148 LBS.

500-60TMR 6' LONG, THERMALLY MODIFIED RED OAK, 128 LBS.

500-60PL 6' LONG, POLY LUMBER, 153 LBS.

500-60TX 6' LONG, WOOD GRAIN POLY LUMBER, 153 LBS.


500-60HS 6' LONG, STEEL, 181 LBS.

Optional armrest available upon request

Support Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)



500-60HS Shown in black finish



### MOUNTING OPTIONS





501-60I Shown in Textured Silver finish/Ipe

## BENCH 501

### With Armrests

501-60D 6' LONG, DOUGLAS FIR, 102 LBS.

501-60I 6' LONG, IPE, 116 LBS.

501-60TMR 6' LONG, THERMALLY MODIFIED OAK, 102 LBS.

501-60PL 6' LONG, POLY LUMBER, 126 LBS.

501-60TX 6' LONG, WG POLY LUMBER, 126 LBS.

501-60HS 6' LONG, STEEL, 129 LBS.

### Without Armrests

501-60DNA 6' LONG, DOUGLAS FIR, 93 LBS.

501-60INA 6' LONG, IPE, 107 LBS.

501-60TMRNA 6' LONG, THERMALLY MODIFIED OAK, 93 LBS.

501-60PLNA 6' LONG, POLY LUMBER, 117 LBS.

501-60TXNA 6' LONG, WG POLY LUMBER, 117 LBS.


501-60HSNA 6' LONG, STEEL, 120 LBS.

Optional armrest available upon request

Support Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)



501-60HSNA Shown in black finish



502-32I-BT Shown in Textured Silver finish/Ipe

## RECEPTACLE 502

### Flat Top Cover

502-32D-FTO 32-GALLON, DOUGLAS FIR, 136 LBS.

502-32I-FTO 32-GALLON, IPE, 162 LBS.

502-32TMR-FTO 32-GALLON, THERM MODIFIED OAK, 136 LBS.

502-32PL-FTO 32-GALLON, POLY LUMBER, 143 LBS.

502-32TX-FTO 32-GALLON, WG POLY LUMBER, 143 LBS.

502-32HS-FTO 32-GALLON, STEEL, 183 LBS.

### Bonnet Top Cover

502-32D-BT 32-GALLON, DOUGLAS FIR, 180 LBS.

502-32I-BT 32-GALLON, IPE, 206 LBS.

502-32TMR-BT 32-GALLON, THERM MODIFIED OAK, 180 LBS.

502-32PL-BT 32-GALLON, POLY LUMBER, 187 LBS.

502-32TX-BT 32-GALLON, WG POLY LUMBER, 187 LBS.

502-32HS-BT 32-GALLON, STEEL, 228 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)


Emptying Method: Side door emptying, HDPE liner



502-32HS-BT All Steel



502-32I-FTO (with door open)





472-601-2AR Shown in Argento finish/Ipe, S-2 supports

## BENCH 472

### Douglas Fir slats

472-60D 6' LONG, 222 LBS.

472-60D-2AR 6' LONG, 2 ARMRESTS, 234 LBS.

### Ipe slats

472-60I 6' LONG, 271 LBS.

472-60I-2AR 6' LONG, 2 ARMRESTS, 283 LBS.

### Thermally Modified Red Oak slats

472-60TMR 6' LONG, 217 LBS.

472-60TMR-2AR 6' LONG, 2 ARMRESTS, 229 LBS.

### Steel slats

472-60HS 6' LONG, 282 LBS.


472-60HS-2AR 6' LONG, 2 ARMRESTS, 294 LBS.

Optional armrest available upon request

Support Options: Surface Mount (S-2) and Free Standing (S-5)



472-60HS Shown in Argento, S-2 supports





473-60I-2AR Shown in Argento finish/Ipe S-2 supports

## BENCH 473

### Douglas Fir slats

473-60D 6' LONG, 159 LBS.

473-60D-2AR 6' LONG, 2 ARMRESTS, 179 LBS.

### Ipe slats

473-60I 6' LONG, 190 LBS.

473-60I-2AR 6' LONG, 2 ARMRESTS, 210 LBS.

### Thermally Modified Red Oak slats

473-60TMR 6' LONG, 162 LBS.

473-60TMR-2AR 6' LONG, 2 ARMRESTS, 182 LBS.

### Steel slats

473-60HS 6' LONG, 207 LBS.

473-60HS-2AR 6' LONG, 2 ARMRESTS, 227 LBS.

Optional armrest available upon request

Support Options: Surface Mount (S-2) and Free Standing (S-5)



473-60HS Shown in Argento, S-2 supports



474-32I-FTO Shown in Argento finish/Ipe

## RECEPTACLE 474

### Douglas Fir slats

474-32D-FTO 32-GALLON, FLAT TOP, 170 LBS.

474-32D-BT 32-GALLON, BONNET TOP, 194 LBS.

### Ipe slats

474-32I-FTO 32-GALLON, FLAT TOP, 223 LBS.

474-32I-BT 32-GALLON, BONNET TOP, 247 LBS.

### Thermally Modified Red Oak slats

474-32TMR-FTO 32-GALLON, FLAT TOP, 170 LBS.

474-32TMR-BT 32-GALLON, BONNET TOP, 194 LBS.

### Steel

474-32VS-FTO 32-GALLON, FLAT TOP, 283 LBS.

474-32VS-BT 32-GALLON, BONNET TOP, 306 LBS.

Emptying Method: Hinged cover, HDPE liner

### Standard Options





### Additional Option



474-32VS-BT



474-32VS-FTO





470-60I Shown in Argento finish/Ipe

## BENCH 470

470-60D 6' LONG, DOUGLAS FIR SLATS, 217 LBS.

470-60I 6' LONG, IPE SLATS, 266 LBS.

470-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 217 LBS.

470-60HS 6' LONG, STEEL SLATS, 282 LBS.

Optional armrest available upon request



470-60HS-2AR Shown in Argento



471-60I Shown in Argento finish/Ipe

## BENCH 471

471-60D 6' LONG, DOUGLAS FIR SLATS, 162 LBS.

471-60I 6' LONG, IPE SLATS, 192 LBS.


471-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 162 LBS.

471-60HS 6' LONG, STEEL SLATS, 207 LBS.

Optional armrest available upon request



471-60HS Shown in Argento





Shown in Textured Charcoal finish/Ipe, S-2 supports

## TABLE SET 475

475-60D 6' TABLE, 2 BENCHES, DOUGLAS FIR SLATS, 587 LBS.

475-60-1D ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, DOUGLAS FIR SLATS, 591 LBS.

475-60I 6' TABLE, 2 BENCHES, IPE SLATS, 690 LBS.

475-60-1I ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, IPE SLATS, 694 LBS.


475-60TMR 6' TABLE, 2 BENCHES, THERMALLY MODIFIED RED OAK SLATS, 690 LBS.

475-60-1TMR ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, THERMALLY MODIFIED RED OAK SLATS, 694 LBS.

475-60HS 6' TABLE, 2 BENCHES, STEEL SLATS, 744 LBS.

475-60-1HS ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, STEEL SLATS, 744 LBS.

Support Options: Surface Mount (S-2) and Free Standing (S-5)





Shown in Argento

## BENCH 59


59-60 6' LONG, 198 LBS.

59-80 8' LONG, 235 LBS.




Optional armrest available upon request

Support Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- Perforated steel seat frame



### MOUNTING OPTIONS





Shown in Deep Red

### BENCH 104

104-60 6' LONG, 165 LBS.

104-80 8' LONG, 181 LBS.

Optional armrest available upon request

Support Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- Perforated steel seat frame



Shown in Juniper Green with optional dome (DM) cover

### RECEPTACLE 89




89-32 32-GALLON, 129 LBS.

89-40-RC 40-GALLON SPLIT STREAM RECYCLE, 136 LBS.



Emptying Method: Lift off lid emptying, HDPE liner

Standard Options

Additional Cover Options



#### BENCH MOUNTING OPTIONS







Shown in RAL Selection/Thermally Modified Red Oak

Bench 530 is a 2'x4' bench meant to be connected and stacked like blocks into nearly any arrangement. Armrests, wide armrests/tables, skate stops, and planter boxes can be added. To learn more about custom arrangements and to receive spec drawings to fit your space, contact your local rep.

## BENCH 530

530-001 1 STEEL CONNECTING/STACKING BLOCK, IPE SEAT, 245 LBS.


530-00TMR 1 STEEL CONNECTING/STACKING BLOCK, THERMALLY MODIFIED RED OAK SEAT, 245 LBS.

530-00PL 1 STEEL CONNECTING/STACKING BLOCK, POLY LUMBER SEAT, 238 LBS.



530-00TX STEEL CONNECTING/STACKING BLOCK, WOOD GRAIN POLY LUMBER SEAT, 238 LBS.

Optional armrest or table available upon request


- 2" x 4" wood



15.75"



30"







**BENCH 520**

- 520-60I 6' LONG, IPE, 358 LBS.
- 520-80I 8' LONG, IPE, 426 LBS.
- 520-60TMR 6' LONG, THERM MODIFIED OAK, 308 LBS.
- 520-80TMR 8' LONG, THERM MODIFIED OAK, 366 LBS.
- 520-60PL 6' LONG, POLY LUMBER, 323 LBS.
- 520-80PL 8' LONG, POLY LUMBER, 376 LBS.
- 520-60TX 6' LONG, WG POLY LUMBER, 323 LBS.
- 520-80TX 8' LONG, WG POLY LUMBER, 376 LBS.
- 520-60VS 6' LONG, STEEL, 340 LBS.
- 520-80VS 8' LONG, STEEL, 410 LBS.

Optional end/center armrests or table available upon request

- 2" x 4" Vertical wood or steel strap layout



**BENCH 521**

- 521-60I 6' LONG, IPE, 240 LBS.
- 521-80I 8' LONG, IPE, 279 LBS.
- 521-60TMR 6' LONG, THERM MODIFIED OAK, 220 LBS.
- 521-80TMR 8' LONG, THERM MODIFIED OAK, 254 LBS.
- 521-60PL 6' LONG, POLY LUMBER, 218 LBS.
- 521-80PL 8' LONG, POLY LUMBER, 249 LBS.
- 521-60TX 6' LONG, WG POLY LUMBER, 218 LBS.
- 521-80TX 8' LONG, WG POLY LUMBER, 249 LBS.
- 521-60VS 6' LONG, STEEL, 272 LBS.
- 521-80VS 8' LONG, STEEL, 328 LBS.

Optional end/center armrests or table available upon request

- 2" x 4" Vertical wood or steel strap layout




**BENCH 522**

- 522-60I 6' LONG, IPE, 349 LBS.
- 522-80I 8' LONG, IPE, 412 LBS.
- 522-60TMR 6' LONG, THERM MODIFIED OAK, 299 LBS.
- 522-80TMR 8' LONG, THERM MODIFIED OAK, 352 LBS.
- 522-60PL 6' LONG, POLY LUMBER, 313 LBS.
- 522-80PL 8' LONG, POLY LUMBER, 362 LBS.
- 522-60TX 6' LONG, WG POLY LUMBER, 313 LBS.
- 522-80TX 8' LONG, WG POLY LUMBER, 362 LBS.

Optional end/center armrests or table available upon request

- 2" x 4" Horizontal wood layout




**BENCH 523**

- 523-60I 6' LONG, IPE, 238 LBS.
- 523-80I 8' LONG, IPE, 278 LBS.
- 523-60TMR 6' LONG, THERM MODIFIED OAK, 218 LBS.
- 523-80TMR 8' LONG, THERM MODIFIED OAK, 253 LBS.
- 523-60PL 6' LONG, POLY LUMBER, 216 LBS.
- 523-80PL 8' LONG, POLY LUMBER, 247 LBS.
- 523-60TX 6' LONG, WG POLY LUMBER, 216 LBS.
- 523-80TX 8' LONG, WG POLY LUMBER, 247 LBS.

Optional end/center armrests or table available upon request

- 2" x 4" Horizontal wood layout






Three connected Bench 522/lumber



Three connected Bench 523/lumber


### CONTINUOUS BENCH 520 AND 522

- Unlimited length
- 2"x4" Horizontal or vertical lumber layouts
- Vertical steel strap layout




### CONTINUOUS BENCH 521 AND 523

- Unlimited length
- 2"x4" Horizontal or vertical lumber layouts
- Vertical steel strap layout




### WALL MOUNT CONTINUOUS BENCH 520 AND 522

- W520 AND W522
- Seat height 5.5" off wall
  - Wall mounted benches have all the same versatility and limitless combinations seen on continuous benches.



### WALL MOUNT CONTINUOUS BENCH 521 AND 523


- W521 AND W523
- Seat height 5.5" off wall
  - Wall mounted benches have all the same versatility and limitless combinations seen on continuous benches.



520 and W520



522 and W522



520VS



521 and W521



523 and W523



521VS



Seamless transitions between backed and backless benches



Four connected Bench R520/lumber




Three connected Bench R521/lumber

### CURVED CONTINUOUS BENCH R520

R520


- Built to your specification, 60" minimum center line radius
- Unlimited length
- 2"x3" Vertical lumber layout
- Vertical steel strap layout



### CURVED CONTINUOUS BENCH R521

R521


- Built to your specification, 60" minimum center line radius
- Unlimited length
- 2"x3" Vertical lumber layout
- Vertical steel strap layout



### WALL MOUNT CURVED CONTINUOUS BENCH WR520

WR520


- Seat height 5.5" off wall
- Wall mounted benches have all the same versatility and limitless combinations seen on continuous benches.



### WALL MOUNT CURVED CONTINUOUS BENCH WR521

WR521

- Seat height 5.5" off wall
- Wall mounted benches have all the same versatility and limitless combinations seen on continuous benches.



R520VS



R520 and WR520



R521VS



R521 and WR521




Seamless transitions between backed and backless curved benches



Three **522-60** benches connected with two **90° 528 Angle Connectors** shown in Argento finish/Thermally Modified Red Oak

## 528 ANGLE CONNECTOR

- Unlimited lengths (3 connected shown)
- 90°, 45°, and 30° angle connectors
- Horizontal or vertical wood and vertical steel surfaces
- Backed or backless



**523-60** benches connected with **45° 528 Angle Connector**

### ADD ONS

Armrests or seat-mounted tables can be added to most 520 series seating surfaces.



Backed armrest,  
rounded corner



Backed armrest,  
square corner



Backless armrest,  
rounded corner



Backless armrest,  
square corner



14" seat-mounted  
table

## COLLECTIONS



## SEAT ISLAND 524

### Ipe slats

524-38I 38" x 38", 306 LBS.

524-76I 38" x 77", 435 LBS.

524-76B1I 38" x 77", OFF-CENTER BACKREST, 654 LBS.

524-76B3I 38" x 77", CENTER BACKREST, 654 LBS.

U524-76I 38" x 77", U SHAPE, 402 LBS.

### Thermally Modified Red Oak slats

524-38TMR 38" x 38", 294 LBS.

524-76TMR 38" x 77", 406 LBS.

524-76B1TMR 38" x 77", OFF-CENTER BACKREST, 618 LBS.

524-76B3TMR 38" x 77", CENTER BACKREST, 618 LBS.

U524-76TMR 38" x 77", U SHAPE, 189 LBS.

### Poly Lumber slats

524-38PL 38" x 38", 282 LBS.

524-76PL 38" x 77", 385 LBS.

524-76B1PL 38" x 77", OFF-CENTER BACKREST, 566 LBS.

524-76B3PL 38" x 77", CENTER BACKREST, 566 LBS.

U524-76PL 38" x 77", U SHAPE, 368 LBS.

### Wood Grain Poly Lumber slats

524-38TX 38" x 38", 282 LBS.

524-76TX 38" x 77", 385 LBS.

524-76B1TX 38" x 77", OFF-CENTER BACKREST, 566 LBS.


524-76B3TX 38" x 77", CENTER BACKREST, 566 LBS.

U524-76TX 38" x 77", U SHAPE, 368 LBS.


### Steel straps

524-38VS 38" x 38", 313 LBS.

524-76VS 38" x 77", 450 LBS.



Steel strap seating surface





525-60 Shown in Argento finish/Thermally Modified Red Oak


## TABLE 525/526

### Horizontal Layout



- 525-60I 6' TABLE, IPE, 812 LBS.
- 525-663I 6' ADA ACCESSIBLE, IPE, 748 LBS.
- 525-60TMR 6' TABLE, THERMALLY MODIFIED OAK, 712 LBS.
- 525-663TMR 6' ADA ACCESSIBLE, THERMALLY MODIFIED OAK, 663 LBS.
- 525-60PL 6' TABLE, POLY LUMBER, 731 LBS.
- 525-663PL 6' ADA ACCESSIBLE, POLY LUMBER, 678 LBS.
- 525-60TX 6' TABLE, WG POLY LUMBER, 731 LBS.
- 525-663TX 6' ADA ACCESSIBLE, WG POLY LUMBER, 678 LBS.

### Vertical Layout

- 526-60I 6' TABLE, IPE, 862 LBS.
- 526-663I 6' ADA ACCESSIBLE, IPE, 786 LBS.
- 526-60TMR 6' TABLE, THERMALLY MODIFIED OAK, 777 LBS.
- 526-663TMR 6' ADA ACCESSIBLE, THERM MODIFIED OAK, 706 LBS.
- 526-60PL 6' TABLE, POLY LUMBER, 762 LBS.
- 526-663PL 6' ADA ACCESSIBLE, POLY LUMBER, 702 LBS.
- 526-60TX 6' TABLE, WG POLY LUMBER, 762 LBS.
- 526-663TX 6' ADA ACCESSIBLE, WG POLY LUMBER, 702 LBS.
- 526-60VS 6' TABLE, STEEL, 903 LBS.
- 526-663VS 6' ADA ACCESSIBLE, STEEL, 833 LBS.



ADA Accessible (model numbers w/-663)



## TRADITIONAL CONTOUR STRAP CURVED BENCHES



**RI58-120-6** 6' LONG, 58 BENCH SUPPORTS, 120" INSIDE RADIUS, 281 LBS.



**R92-120-6** 6' LONG, 92 BENCH SUPPORTS, 120" RADIUS, 214 LBS.



**RI119-120-6** 6' LONG, 119 BENCH SUPPORTS, 120" INSIDE RADIUS, 280 LBS.



**R120-120-6** 6' LONG, 120 BENCH SUPPORTS, 120" RADIUS, 236 LBS.



**RI93-120-6** 6' LONG, 93 BENCH SUPPORTS, 120" INSIDE RADIUS, 278 LBS.



**R95-120-6** 6' LONG, 95 BENCH SUPPORTS, 120" RADIUS, 211 LBS.



**RI446-120-6** 6' LONG, 446 BENCH SUPPORTS, 120" INSIDE RADIUS, 231 LBS.



**R283-120-6** 6' LONG, 283 BENCH SUPPORTS, 120" RADIUS, 168 LBS.



**RI93P-120-6** 6' LONG, POST SUPPORTS, 120" INSIDE RADIUS, 250 LBS.



**R95P-120-6** 6' LONG, POST SUPPORTS, 120" RADIUS, 174 LBS.



**RI140-120-6** 6' LONG, 140 BENCH SUPPORTS, 120" INSIDE RADIUS, 263 LBS.



**R144-120-6** 6' LONG, 144 BENCH SUPPORTS, 120" RADIUS, 203 LBS.

Support Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)





# POST MOUNT BENCHES

Wood and Poly Lumber post mount park  
style benches



# POST MOUNT BENCHES



535-60 Shown in Harvest Yellow/Thermally Modified Red Oak

## BENCH 535

535-60I 6' LONG, IPE SLATS, 225 LBS.

535-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 177 LBS.

535-60PL 6' LONG, POLY LUMBER SLATS, 187 LBS.

535-60TX 6' LONG, WOOD GRAIN POLY LUMBER SLATS, 187LBS.

### Post Mount

535P-60I 6' LONG, IPE SLATS, 218 LBS.

535P-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 169 LBS.

535P-60PL 6' LONG, POLY LUMBER SLATS, 179 LBS.

535P-60TX 6' LONG, WOOD GRAIN POLY LUMBER SLATS, 179 LBS.


Optional end/center armrest available upon request

535 Mounting: Surface Mount **and** Free Standing

535P Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)



535P-60/S-2 Shown in RAL/Antique Mahogany



### 535P MOUNTING OPTIONS





88 Shown in Black finish/Walnut Poly Lumber

## BENCH 88

### Douglas Fir slats

88-60D 6' LONG, 2 SUPPORTS, 181 LBS.

88-80D 8' LONG, 2 SUPPORTS, 213 LBS.

### Poly Lumber slats

88-40PL 4' LONG, 2 SUPPORTS, 170 LBS.


88-50PL 5' LONG, 2 SUPPORTS, 192 LBS.

88-60PL 6' LONG, 3 SUPPORTS, 257 LBS.

88-80PL 8' LONG, 3 SUPPORTS, 299 LBS

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)



103 Shown in Black finish/Walnut Poly

## BENCH 103

### Poly Lumber slats

103-40PL 4' LONG, 2 SUPPORTS, 116 LBS.


103-50PL 5' LONG, 2 SUPPORTS, 129 LBS.

103-60PL 6' LONG, 3 SUPPORTS, 175 LBS.


103-80PL 8' LONG, 3 SUPPORTS, 200 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)



### MOUNTING OPTIONS



## BENCH 11/56

### Douglas Fir slats

56-60D 6' LONG, 2 SUPPORTS, 174 LBS.

56-80D 8' LONG, 2 SUPPORTS, 210 LBS.

### Poly Lumber slats



11-60PL 6' LONG, 3 SUPPORTS, 223 LBS.

11-80PL 8' LONG, 3 SUPPORTS, 265 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- 4" x 4" nominal slats
- 2.5" schedule 40 welded pipe supports



11 Shown in Bronze finish/Grey Poly Lumber

## BENCH 105

### Douglas Fir slats

105-60D 6' LONG, 2 SUPPORTS, 118 LBS.

105-80D 8' LONG, 2 SUPPORTS, 142 LBS.


### Poly Lumber slats

105-60PL 6' LONG, 3 SUPPORTS, 153 LBS.

105-80PL 8' LONG, 3 SUPPORTS, 180 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)



105 Shown in Bronze finish/Grey Poly Lumber

### MOUNTING OPTIONS





138 Shown in Bronze finish/Cedar Poly

## BENCH 138

### Douglas Fir slats

138-60D 6' LONG, 2 SUPPORTS, 95 LBS.

138-80D 8' LONG, 2 SUPPORTS, 114 LBS.

### Ipe slats

138-60I 6' LONG, 2 SUPPORTS, 129 LBS.

138-80I 8' LONG, 2 SUPPORTS, 161 LBS.

### Thermally Modified Red Oak slats

138-60TMR 6' LONG, 2 SUPPORTS, 95 LBS.

138-80TMR 8' LONG, 2 SUPPORTS, 114 LBS.

### Poly Lumber slats

138-60PL 6' LONG, 3 SUPPORTS, 126 LBS.

138-80PL 8' LONG, 3 SUPPORTS, 144 LBS.


### Wood Grain Poly Lumber slats

138-60TX 6' LONG, 3 SUPPORTS, 126 LBS.

138-80TX 8' LONG, 3 SUPPORTS, 144 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)



139 Shown in Black finish/Grey Poly

## BENCH 139

### Douglas Fir slats

139-60D 6' LONG, 2 SUPPORTS, 67 LBS.

139-80D 8' LONG, 2 SUPPORTS, 79 LBS.

### Ipe slats

139-60I 6' LONG, 2 SUPPORTS, 90 LBS.

139-80I 8' LONG, 2 SUPPORTS, 110 LBS.

### Thermally Modified Red Oak slats

139-60TMR 6' LONG, 2 SUPPORTS, 67 LBS.

139-80TMR 8' LONG, 2 SUPPORTS, 79 LBS.

### Poly Lumber slats

139-60PL 6' LONG, 3 SUPPORTS, 89 LBS.

139-80PL 8' LONG, 3 SUPPORTS, 101 LBS.


### Wood Grain Poly Lumber slats

139-60TX 6' LONG, 3 SUPPORTS, 89 LBS.

139-80TX 8' LONG, 3 SUPPORTS, 101 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)



### MOUNTING OPTIONS



### BENCH 35/131

**Douglas Fir slats**

35-60D 6' LONG, 2 SUPPORTS, 234 LBS.

35-80D 8' LONG, 2 SUPPORTS, 267 LBS.

**Poly Lumber slats**


131-60PL 6' LONG, 3 SUPPORTS, 309 LBS.

131-80PL 8' LONG, 3 SUPPORTS, 352 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- 3" x 1/2" welded steel end frames



131-60PL Shown in Hunter Green finish/Cedar Poly

### BENCH 34

**Douglas Fir slats**

34-60D 6' LONG, 2 SUPPORTS, 138 LBS.

34-80D 8' LONG, 2 SUPPORTS, 158 LBS.

**Ipe slats**

34-60I 6' LONG, 2 SUPPORTS, 183 LBS.

34-80I 8' LONG, 2 SUPPORTS, 219 LBS.

**Thermally Modified Red Oak slats**

34-60TMR 6' LONG, 2 SUPPORTS, 138 LBS.

34-80TMR 8' LONG, 2 SUPPORTS, 158 LBS.

**Poly Lumber slats**

34-60PL 6' LONG, 3 SUPPORTS, 159 LBS.

34-80PL 8' LONG, 3 SUPPORTS, 190 LBS.

**Wood Grain Poly Lumber slats**


34-60TX 6' LONG, 3 SUPPORTS, 159 LBS.

34-80TX 8' LONG, 3 SUPPORTS, 190 LBS.

Optional end/center armrest available upon request


Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- 2" x 3" nominal slats



34 Shown in Black finish/Ipe

**MOUNTING OPTIONS**





51 Shown in Black finish/Douglas Fir

## BENCH 51

### Douglas Fir slats


51-60D 6' LONG, 2 SUPPORTS, 245 LBS.

51-80D 8' LONG, 2 SUPPORTS, 293 LBS.

Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- 2" x 4" and 4" x 4" nominal slats
- Factory assembled seat



39 Shown in Black finish/Douglas Fir

## BENCH 39

### Douglas Fir slats

39-60D 6' LONG, 2 SUPPORTS, 170 LBS.

39-80D 8' LONG, 2 SUPPORTS, 199 LBS.

### Poly Lumber slats


39-60PL 6' LONG, 3 SUPPORTS, 200 LBS.

39-80PL 8' LONG, 3 SUPPORTS, 273 LBS.


Optional end/center armrest available upon request

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- 2" x 3" and 3" x 4" nominal slats



### MOUNTING OPTIONS



### BENCH 163


Poly Lumber slats

163-60PL 6' LONG, 2 SUPPORTS, 158 LBS.

163-80PL 8' LONG, 3 SUPPORTS, 220 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- Factory assembled seat



163 Shown in Black finish/Cedar poly

### BENCH 37


Douglas Fir slats

37-60D 6' LONG, 2 SUPPORTS, 165 LBS.

37-80D 8' LONG, 2 SUPPORTS, 193 LBS.


Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- Factory assembled seat



37 Shown in Bronze finish/Douglas Fir

MOUNTING OPTIONS





TRASH

BOTTLES & CANS

# LITTER & RECYCLING RECEPTACLES

## RECEPTACLE COVER OPTIONS

### Standard Cover



FTO-STANDARD COVER

### Add-On Cover Options



RC-RECYCLE\*



BT-BONNET TOP



DM-DOME TOP

## SPLIT STREAM RECYCLING

### 40-RC Split Liners and Recycle Cover

The "40-RC" denotation on the end of certain product numbers indicates the receptacle has two 20 gal. semicircular liners and a split material cover (as shown right).

- The following receptacles can be purchased new with this option: 41, 70, 84, 87, 89, 102, 107, 148, 157, 158, 170, 200/300, and 432.
- A split stream recycling retrofit kit can also be purchased for most existing DuMor units.



*\*Vinyl lettering shown on recycling covers above is not available on any textured powder coat finishes.*



84 Shown in Textured Charcoal



158 Shown in Argento w/shield

## RECEPTACLE 84


84-22 22-GALLON, 139 LBS.

84-32 32-GALLON, 186 LBS.


84-40-RC 40-GALLON SPLIT STREAM RECYCLE, 195 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liner

### Standard Options



### Additional Cover Options



## RECEPTACLE 158

158-22 22-GALLON, 186 LBS.

158-22SH 22-GALLON W/OPTIONAL STEEL SHIELD, 206 LBS.

158-32 32-GALLON, 238 LBS.


158-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 266 LBS.

158-40-RC 40-GALLON SPLIT STREAM RECYCLE, 249 LBS.


158-40SHRC 40-GALLON SPLIT STREAM RECYCLE W/OPTIONAL STEEL SHIELD, 277 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liner



### Standard Options



### Additional Cover Options



- Optional shield conceals liner (shown)



# LITTER & RECYCLING RECEPTACLES




157 Shown in Black

## RECEPTACLE 157

- 157-22 22-GALLON, 204 LBS.
- 157-22SH 22-GALLON W/OPTIONAL STEEL SHIELD, 223 LBS.
- 157-32 32-GALLON, 249 LBS.
- 157-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 277 LBS.
- 157-40-RC 40-GALLON SPLIT STREAM RECYCLE, 259 LBS.
- 157-40SHRC 40-GALLON SPLIT STREAM RECYCLE W/OPTIONAL STEEL SHIELD, 287 LBS.

Emptying Method: Side door emptying, HDPE liner

### Standard Options



- Optional shield conceals liner

### Additional Cover Options



438 Shown in-Textured Black

## RECEPTACLE 438

- 438-32 32-GALLON, 240 LBS.
- 438-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 270 LBS.


Emptying Method: Side door emptying, HDPE liner

### Standard Option



FTO

### Additional Cover Options




RC

BT

DM

- Optional shield conceals liner






107 Shown in Black



## RECEPTACLE 107

- 107-22 22-GALLON, 179 LBS.
  - 107-32 32-GALLON, 257 LBS.
  - 107-40-RC 40-GALLON SPLIT STREAM RECYCLE, 268 LBS.
- Emptying Method: Cable attached lift off lid emptying, HDPE liner

### Standard Options



### Additional Cover Options




87 Shown in Black



## RECEPTACLE 87

- 87-22 22-GALLON, 149 LBS.
  - 87-32 32-GALLON, 192 LBS.
  - 87-40-RC 40-GALLON SPLIT STREAM RECYCLE, 203 LBS.
- Emptying Method: Hinged cover, HDPE liner

### Standard Options



### Additional Cover Options



# LITTER & RECYCLING RECEPTACLES




432 Shown in Sudan, Heritage Brown, and Carlsbad


## RECEPTACLE 432

- 432-22 22-GALLON, 103 LBS.
  - 432-32 32-GALLON, 142 LBS.
  - 432-40-RC 40-GALLON SPLIT STREAM RECYCLE, 150 LBS.
  - 432-55 55-GALLON, 148 LBS.
- Emptying Method: Cable attached lift off lid emptying, HDPE liner

### Standard Options




### Additional Cover Options



182 Shown in Argento

## RECEPTACLE 182

- 182-32 32-GALLON, 84 LBS.
- Emptying Method: Cable attached lift off lid emptying, HDPE liner





286-32SH-FTO in Argento w/shield



287-32SH-SO in Argento w/shield

## RECEPTACLE 286

Single liner, trash or recycling receptacle

286-32 32-GALLON, 224 LBS.


286-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 252 LBS.

Emptying Method: Side door emptying, HDPE liner

- Optional shield conceals liner (shown)
- Recycle color coding and labeling available
- Labeling not available on any textured powder coat finishes
- Labeling located on band beneath cover

### Cover Hole Shape Options

FTO	RC1	RC2
		
10" diameter	4" dia.	4" x 12"
		
	Labeling on Band: BOTTLES & CANS	Labeling on Band: MIXED RECYCLING



## RECEPTACLE 287

Single liner, trash or recycling receptacle

287-32 32-GALLON, 240 LBS.


287-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 268 LBS.

Emptying Method: Side door emptying, HDPE liner

- Optional shield conceals liner (shown)
- Recycle color coding and labeling available
- Labeling not available on any textured powder coat finishes
- Labeling located on band beneath cover

### Cover Hole Shape Options

SO	RC1	RC2
		
5" x 16"	4" dia.	4" x 12"
		
	Labeling on Band: BOTTLES & CANS	Labeling on Band: MIXED RECYCLING



# LITTER & RECYCLING RECEPTACLES



436-40SH in Charcoal w/Recycle Color Cover w/shield



437-40SH in Charcoal w/Recycle Color Cover w/shield

## RECEPTACLE 436

Two half-moon liners, trash and/or recycling receptacle


436-40 TWO 20-GAL. LINERS, 239 LBS.

436-40SH TWO 20-GAL. LINERS W/OPTIONAL STEEL SHIELD, 267 LBS.

Emptying Method: Side door emptying, HDPE liners

- Optional shield conceals liner (shown)
- Customize color and hole shape combinations
- Labeling not available on any textured powder coat finishes

### Cover Hole Shape Options



## RECEPTACLE 437

Two half-moon liners, trash and/or recycling receptacle



437-40 TWO 20-GAL. LINERS, 273 LBS.

437-40SH TWO 20-GAL. LINERS W/OPTIONAL STEEL SHIELD, 301 LBS.

Emptying Method: Side door emptying, HDPE liners

- Optional shield conceals liner (shown)
- Customize color and hole shape combinations
- Labeling not available on any textured powder coat finishes

### Cover Hole Shape Options





434-72SH Shown in Charcoal w/Recycle Color Cover w/shield



435-72SH Shown in Charcoal w/Recycle Color Cover w/shield

## RECEPTACLE 434

Two, three, or four liners, trash and/or recycling receptacle

434-64 TWO OPENINGS, TWO 32-GAL. LINERS, 455 LBS.

434-64SH TWO OPENINGS, TWO 32-GAL. LINERS

W/OPTIONAL STEEL SHIELD, 498 LBS.

434-72 THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS, 460 LBS.

434-72SH THREE OPENINGS, ONE 32-GAL. & TWO 20-

GAL. LINERS W/OPTIONAL STEEL SHIELD, 503 LBS.

434-80 FOUR OPENINGS, FOUR 20-GAL. LINERS, 464 LBS.


434-80SH FOUR OPENINGS, FOUR 20-GAL. LINERS

W/OPTIONAL STEEL SHIELD, 507 LBS.


Emptying Method: Side door emptying, HDPE liners

- 2 doors for emptying
- Optional shield conceals liner
- Labeling not available on any textured powder coat finishes

### Cover Hole Shape Options



### Cover Separation Options



Side door emptying

## RECEPTACLE 435

Two, three, or four liners, trash and/or recycling receptacle

435-64 TWO OPENINGS, TWO 32-GAL. LINERS, 520 LBS.

435-64SH TWO OPENINGS, TWO 32-GAL. LINERS

W/OPTIONAL STEEL SHIELD, 563 LBS.

435-72 THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS, 525 LBS.

435-72SH THREE OPENINGS, ONE 32-GAL. & TWO 20-

GAL. LINERS W/OPTIONAL STEEL SHIELD, 568 LBS.

435-80 FOUR OPENINGS, FOUR 20-GAL. LINERS, 529 LBS.


435-80SH FOUR OPENINGS, FOUR 20-GAL. LINERS

W/OPTIONAL STEEL SHIELD, 573 LBS.



Emptying Method: Side door emptying, HDPE liners

- 2 doors for emptying
- Optional shield conceals liner
- Labeling not available on any textured powder coat finishes

### Cover Hole Shape Options



### Cover Separation Options



Side door emptying

## LITTER & RECYCLING RECEPTACLES



170-32 Shown in Black


### RECEPTACLE 170

170-32 32-GALLON, 126 LBS.

170-40-RC 40-GALLON SPLIT STREAM RECYCLE, 140 LBS.

Emptying Method: Hinged cover, HDPE liner

#### Standard Options



#### Additional Cover Options



41-32 Shown in Black finish/Grey Poly Lumber

### RECEPTACLE 41

#### Douglas Fir slats

41-22D 22-GALLON, 88 LBS.

41-32D 32-GALLON, 113 LBS.

41-40D-RC 40-GALLON, SPLIT STREAM RECYCLE, 122 LBS.

#### Ipe slats

41-22I 22-GALLON, 116 LBS.

41-32I 32-GALLON, 151 LBS.

41-40I-RC 40-GALLON SPLIT STREAM RECYCLE, 160 LBS.

#### Thermally Modified Red Oak slats

41-22TMR 22-GALLON, 88 LBS.

41-32TMR 32-GALLON, 113 LBS.

41-40TMR-RC 40-GALLON SPLIT STREAM RECYCLE, 122 LBS.

#### Poly Lumber slats

41-22PL 22-GALLON, 94 LBS.


41-32PL 32-GALLON, 120 LBS.

41-40PL-RC 40-GALLON SPLIT STREAM RECYCLE, 129 LBS.



Emptying Method: Cable attached lift off lid emptying, HDPE liner

Mounting Options: Embedment (S-1) and Surface Mount (S-2)


#### Standard Options




#### Additional Cover Options



Hinged cover



#### MOUNTING OPTIONS





Shown in Black finish/Cedar Poly Lumber

## RECEPTACLE 70


### Top Deposit

-  70-22D 22-GAL., DOUGLAS FIR, 109 LBS.
-  70-22I 22-GAL., IPE, 154 LBS.
-  70-22TMR 22-GAL., THERM MODIFIED OAK, 117 LBS.
-  70-22PL 22-GAL., POLY LUMBER, 115 LBS.
-  70-22TX 22-GAL., WG POLY LUMBER, 115 LBS.
-  70-32TD 32-GAL., DOUGLAS FIR, 118 LBS.
-  70-32TI 32-GAL., IPE, 154 LBS.
-  70-32TMR 32-GAL., THERM MODIFIED OAK, 130 LBS.
-  70-32TPL 32-GAL., POLY LUMBER, 128 LBS.
-  70-32TTX 32-GAL., WG POLY LUMBER, 128 LBS.
-  70-40D 40-GAL. SPLIT STREAM RECYCLE, DOUGLAS FIR, 153 LBS.
-  70-40I 40-GAL. SPLIT STREAM RECYCLE, IPE, 214 LBS.
-  70-40TMR 40-GAL. SPLIT STREAM RECYCLE, THERM MODIFIED OAK, 174 LBS.
-  70-40PL 40-GAL. SPLIT STREAM RECYCLE, POLY LUMBER, 169 LBS.
-  70-40TX 40-GAL. SPLIT STREAM RECYCLE, WG POLY LUMBER, 169 LBS.



### Side Deposit

-  70-22D-SO 22-GAL., DOUGLAS FIR, 120 LBS.
-  70-22I-SO 22-GAL., IPE, 176 LBS.
-  70-22TMR-SO 22-GAL., THERM MODIFIED OAK, 147 LBS.
-  70-22PL-SO 22-GAL., POLY LUMBER, 133 LBS.
-  70-22TX-SO 22-GAL., WG POLY LUMBER, 133 LBS.
-  70-32TD-SO 32-GAL., DOUGLAS FIR, 135 LBS.
-  70-32TI-SO 32-GAL., IPE, 201 LBS.
-  70-32TMR-SO 32-GAL., THERM MODIFIED OAK, 147 LBS.
-  70-32TPL-SO 32-GAL., POLY LUMBER, 145 LBS.
-  70-32TTX-SO 32-GAL., WG POLY LUMBER, 145 LBS.
-  70-40D-SO 40-GAL. SPLIT STREAM RECYCLE, DOUGLAS FIR, 185 LBS.
-  70-40I-SO 40-GAL. SPLIT STREAM RECYCLE, IPE, 257 LBS.
-  70-40TMR-SO 40-GAL. SPLIT STREAM RECYCLE, THERM MODIFIED OAK, 197 LBS.
-  70-40PL-SO 40-GAL. SPLIT STREAM RECYCLE, POLY LUMBER, 194 LBS.
-  70-40TX-SO 40-GAL. SPLIT STREAM RECYCLE, WG POLY LUMBER, 194 LBS.

### Standard Options



### Additional Cover Options



## LITTER & RECYCLING RECEPTACLES

### PERSONALIZED RECEPTACLE 200/300

The 200 and 300 Series Receptacles allow custom laser cut designs to be emblazoned onto the side of the receptacle.

#### Lift Off Lid Emptying

200 SERIES 32-GALLON PERSONALIZED RECEPTACLE W/STEEL SHIELD

#### Side Door Emptying

300 SERIES 32-GALLON PERSONALIZED RECEPTACLE W/STEEL SHIELD


#### Standard Cover



#### Additional Cover Options



Note: Available with 40 RC split liners and recycle cover. Contact your local DuMor Representative for details.



300 Series  
Side door emptying

#### EXAMPLES



## RECEPTACLES FOUND IN THE COLLECTIONS SECTION



p. 15



p. 20



p. 25



p. 29



p. 33



p. 43



p. 49



p. 51



p.53



p. 57





# CHAIRS AND TABLES





533-22 Shown in Harvest Yellow/Thermally Modified Red Oak



533-21 Shown in Harvest Yellow/Thermally Modified Red Oak

## ADIRONDACK CHAIR 533

### Wood Armrest

533-22I IPE SEAT AND ARMREST PAD, 73 LBS.

533-22TMR THERMALLY MODIFIED RED OAK SEAT AND ARMREST PAD, 73 LBS.

533-42I DOUBLE ADIRONDACK CHAIR, IPE SEAT/ARMREST, 110 LBS.

533-42TMR DOUBLE ADIRONDACK CHAIR, THERMALLY MODIFIED RED OAK SEAT/ARMREST, 110 LBS.

### Aluminum Armrest

533-21I IPE SEAT AND ALUMINUM ARMREST, 72 LBS.

533-21TMR THERMALLY MODIFIED RED OAK SEAT AND ALUMINUM ARMREST, 72 LBS.






533-41I DOUBLE ADIRONDACK CHAIR, IPE, 109 LBS.

533-41TMR DOUBLE ADIRONDACK CHAIR, THERMALLY MODIFIED RED OAK, 109 LBS.

- Welded aluminum frame



Double length Adirondack







### CHAIR 510

**Without Armrests**

510-20INA CHAIR, IPE SEAT, W/O ARMS, 21 LBS.

510-20TMRNA CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 20 LBS.

510-20TXNA CHAIR, WOOD GRAIN POLY LUMBER SEAT, W/O ARMS, 17 LBS.

**With Armrests**

510-20I CHAIR, IPE SEAT, W/ARMS, 23 LBS.

510-20TMR CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 22 LBS.

510-20TX CHAIR, WOOD GRAIN POLY LUMBER, W/ARMS, 20 LBS.

- Welded aluminum
- Stackable

### BENCH 513

513-40I 4' BENCH, IPE SEAT, 40 LBS.

513-40TMR 4' BENCH, THERMALLY MODIFIED RED OAK, 38 LBS.

513-40TX 4' BENCH, WOOD GRAIN POLY LUMBER SEAT, 34 LBS.

- Welded aluminum

### TABLE 514

**Square Table**

514-30I 30" TABLE, IPE, 79 LBS.

514-30TMR 30" TABLE, THERMALLY MODIFIED RED OAK, 77 LBS.

514-30TX 30" TABLE, WOOD GRAIN POLY LUMBER, 72 LBS.

514-30HS 30" TABLE, LASER CUT METAL, 119 LBS.

514-30S 30" TABLE, SOLID METAL, 119 LBS.

**Rectangular Table**

514-50I 5' TABLE, IPE, 130 LBS.

514-50TMR 5' TABLE, THERMALLY MODIFIED RED OAK, 125 LBS.

514-50TX 5' TABLE, WOOD GRAIN POLY LUMBER, 115 LBS.

514-50HS 5' TABLE, LASER CUT METAL, 254 LBS.

514-50S 5' TABLE, SOLID METAL, 262 LBS.

- Steel table frame



Wood or Wood Grain Poly Lumber



Laser Cut



Solid Metal



Wood or Wood Grain Poly Lumber



Solid Metal

### TABLE 485







485-30I 30" TABLE, IPE, 81 LBS.

485-30TMR 30" TABLE, THERMALLY MODIFIED RED OAK, 81 LBS.

485-30TX 30" TABLE, WOOD GRAIN POLY LUMBER, 75 LBS.

485-30 30" TABLE, SOLID METAL, 93 LBS.

- Steel table base





512-40I, 512-20INA, 512-20I, and 516-40 Shown in RAL and Textured Charcoal/Ipe

## CHAIR 512

### Without Armrests

- 512-20INA LOUNGE CHAIR, IPE SEAT, W/O ARMS, 23 LBS.
- 512-20TMRNA LOUNGE CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 22 LBS.
- 512-20TXNA LOUNGE CHAIR, WOOD GRAIN POLY LUMBER SEAT, W/O ARMS, 19 LBS.
- 512-40INA 4' LOUNGE BENCH, IPE SEAT, W/O ARMS, 53 LBS.
- 512-40TMRNA 4' LOUNGE BENCH, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 51 LBS.
- 512-40TXNA 4' LOUNGE BENCH, WOOD GRAIN POLY LUMBER SEAT, W/O ARMS, 42 LBS.

### With Armrests

- 512-20I LOUNGE CHAIR, IPE SEAT, W/ARMS, 26 LBS.
- 512-20TMR LOUNGE CHAIR, THERMALLY MODIFIED RED OAK, W/ARMS, 25 LBS.
- 512-20TX LOUNGE CHAIR, WOOD GRAIN POLY LUMBER SEAT, W/ARMS, 22 LBS.
- 512-40I 4' LOUNGE BENCH, IPE SEAT, W/ARMS, 55 LBS.
- 512-40TMR 4' LOUNGE BENCH, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 53 LBS.
- 512-40TX 4' LOUNGE BENCH, WOOD GRAIN POLY LUMBER SEAT, W/ARMS, 44 LBS.

- Welded aluminum



## TABLE 516

- 516-40I 4' COFFEE TABLE, IPE, 76 LBS.
- 516-40TMR 4' COFFEE TABLE, TM RED OAK SEAT, 73 LBS.
- 516-40TX 4' COFFEE TABLE, WG POLY LUMBER, 69 LBS.
- 516-40HS 4' COFFEE TABLE, LASER CUT METAL, 150 LBS.
- 516-40S 4' COFFEE TABLE, SOLID METAL, 154 LBS.

- 16" Tall steel table






Wood or Wood Grain Poly Lumber



Laser Cut



Solid Metal





511-20I and 515-50I Shown in Black/Ipe



**STOOL 511**

- 511-20I BAR HEIGHT STOOL, IPE SEAT, 19 LBS.
- 511-20TMR BAR HEIGHT STOOL, THERMALLY MODIFIED RED OAK SEAT, 18 LBS.
- 511-20TX BAR HEIGHT STOOL, WOOD GRAIN POLY LUMBER SEAT, 17 LBS.

- Welded aluminum
- 29.5" Seat height
- Stackable

**TABLE 515**

- 515-50I 5' BAR HEIGHT TABLE, IPE, 152 LBS.
- 515-50TMR 5' BAR HEIGHT TABLE, THERMALLY MODIFIED RED OAK, 147 LBS.
- 515-50TX 5' BAR HEIGHT TABLE, WOOD GRAIN POLY LUMBER, 137 LBS.
- 515-50HS 5' BAR HEIGHT TABLE, LASER CUT METAL, 276 LBS.
- 515-50S 5' BAR HEIGHT TABLE, SOLID METAL, 284 LBS.

- 42" Tall steel table





Wood or Wood Grain Poly Lumber



Laser Cut



Solid Metal





483-20HSNA, 483-20HS, and 483-20I Shown in RAL selections

## CHAIRS AND TABLES



483-20INA Shown in White



483-20I Shown in White



484-30 Shown in White

### CHAIR 483

#### Without Armrests

483-20INA CHAIR, IPE SEAT, W/O ARMRESTS, 31 LBS.

483-20TMRNA CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMRESTS, 30 LBS.

483-20HSNA CHAIR, STEEL SEAT, W/O ARMRESTS, 33 LBS.

#### With Armrests

483-20I CHAIR, IPE SEAT, W/ ARMRESTS, 34 LBS.

483-20TMR CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMRESTS, 33 LBS.

483-20HS CHAIR, STEEL SEAT, W/ARMRESTS, 36 LBS.

- All-welded construction steel chair
- Stackable

### TABLE 484




484-30 30" TABLE, STEEL, 57 LBS.

484-36 36" TABLE, STEEL, 73 LBS.


484-30PL 30" TABLE, POLY LUMBER, 61 LBS.

484-36PL 36" TABLE, POLY LUMBER, 67 LBS.

- Optional contrasting colors



Ø30" Table Top



Ø36.25" Table Top



# CHAIRS AND TABLES



481-20INA Shown in Argento/Ipe



481-20HSNA Shown in Argento and White



482-42 Shown in Argento

## CHAIR 481

### Without Armrests

- 481-20INA CHAIR, IPE SEAT, W/O ARMS, 57 LBS.
- 481-20TMRNA CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 56 LBS.
- 481-20TXNA CHAIR, WG POLY LUMBER, W/O ARMS, 47 LBS.
- 481-20HSNA CHAIR, STEEL SEAT, W/O ARMS, 54 LBS.






### With Armrests

- 481-20I CHAIR, IPE SEAT, W/ARMS, 64 LBS.
- 481-20TMR CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 63 LBS.
- 481-20TX CHAIR, WG POLY LUMBER, W/ARMS, 54 LBS.
- 481-20HS CHAIR, STEEL SEAT, W/ARMS, 61 LBS.

## TABLE 482

- 482-36 36" TABLE, STEEL, 101 LBS.
- 482-42 42" TABLE, STEEL, 114 LBS.

- Optional umbrella hole available upon request





**299-60HS** Shown in Black



299-60I Shown in Black finish/Ipe

## TABLE SET 299

### Ipe Surfaces

- 299-60I 6' LONG TABLE SET, IPE, 568 LBS.
- 299-60-1I ADA ACCESSIBLE TABLE SET, IPE, 556 LBS.
- 299-66I 6' TABLE SET, 6 SEATS, IPE, 687 LBS.

### Thermally Modified Red Oak Surfaces

- 299-60TMR 6' LONG TABLE SET, TM RED OAK, 526 LBS.
- 299-60-1TMR ADA ACCESSIBLE TABLE SET, TM RED OAK, 518 LBS.
- 299-66TMR 6' TABLE SET, 6 SEATS, TM RED OAK, 637 LBS.

### Poly Lumber Surfaces

- 299-60PL 6' LONG TABLE SET, POLY LUMBER, 515 LBS.
- 299-60-1PL ADA ACCESSIBLE TABLE SET, POLY LUMBER, 509 LBS.
- 299-66PL 6' TABLE SET, 6 SEATS, POLY LUMBER, 642 LBS.

### Wood Grain Poly Lumber Surfaces


- 299-60TX 6' LONG TABLE SET, WOOD GRAIN POLY LUMBER, 515 LBS.
- 299-60-1TX ADA ACCESSIBLE TABLE SET, WOOD GRAIN POLY LUMBER, 509 LBS.
- 299-66TX 6' TABLE SET, 6 SEATS, WOOD GRAIN POLY LUMBER, 642 LBS.

### Steel Surfaces


- 299-60HS 6' LONG TABLE SET, STEEL, 540 LBS.
- 299-60-1HS ADA ACCESSIBLE TABLE SET, STEEL, 531 LBS.
- 299-66HS 6' TABLE SET, 6 SEATS, STEEL, 661 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

- Optional umbrella hole available upon request



### MOUNTING OPTIONS





296HS Shown in Textured Charcoal

## TABLE 296

### Ipe Seats

- 296-36-20I 36" TABLE, 2 SEATS, IPE, 200 LBS.
- 296-36-40I 36" TABLE, 4 SEATS, IPE, 300 LBS.
- 296-42-20I ADA ACCESSIBLE 42" TABLE, 2 SEATS, 213 LBS.
- 296-42-30I ADA ACCESSIBLE 42" TABLE, 3 SEATS, 263 LBS.
- 296-42-40I 42" TABLE, 4 SEATS, IPE, 313 LBS.

### Thermally Modified Red Oak Seats

- 296-36-20TMR 36" TABLE, 2 SEATS, TM RED OAK, 194 LBS.
- 296-36-40TMR 36" TABLE, 4 SEATS, TM RED OAK, 290 LBS.
- 296-42-20TMR ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.
- 296-42-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.
- 296-42-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 294 LBS.

### Wood Grain Poly Lumber Seats

- 296-36-20TX 36" TABLE, 2 SEATS, WG POLY LUMBER, 190 LBS.
- 296-36-40TX 36" TABLE, 4 SEATS, WG POLY LUMBER, 281 LBS.
- 296-42-20TX ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.
- 296-42-30TX ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.
- 296-42-40TX 42" TABLE, 4 SEATS, WG POLY LUMBER, 294 LBS.

### Steel Seats

- 296-36-20HS 36" TABLE, 2 SEATS, STEEL, 200 LBS.
- 296-36-40HS 36" TABLE, 4 SEATS, STEEL, 301 LBS.
- 296-42-20HS ADA ACCESSIBLE 42" TABLE, 2 SEATS, 213 LBS.
- 296-42-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 264 LBS.
- 296-42-40HS 42" TABLE, 4 SEATS, STEEL, 314 LBS.


Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request



296 Wood Seat or Poly Lumber

### MOUNTING OPTIONS





2971 Shown in Textured Charcoal finish/lpe

## TABLE 297

### Ipe Seats

- 297-36-20I 36" TABLE, 2 SEATS, IPE, 170 LBS.
- 297-36-40I 36" TABLE, 4 SEATS, IPE, 240 LBS.
- 297-42-20I ADA ACCESSIBLE 42" TABLE, 2 SEATS, 182 LBS.
- 297-42-30I ADA ACCESSIBLE 42" TABLE, 3 SEATS, 218 LBS.
- 297-42-40I 42" TABLE, 4 SEATS, IPE, 253 LBS.

### Thermally Modified Red Oak Seats

- 297-36-20TMR 36" TABLE, 2 SEATS, TM RED OAK, 190 LBS.
- 297-36-40TMR 36" TABLE, 4 SEATS, TM RED OAK, 281 LBS.
- 297-42-20TMR ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.
- 297-42-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.
- 297-42-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 294 LBS.

### Wood Grain Poly Lumber Seats

- 297-36-20TX 36" TABLE, 2 SEATS, WG POLY LUMBER, 165 LBS.
- 297-36-40TX 36" TABLE, 4 SEATS, WG POLY LUMBER, 230 LBS.
- 297-42-20TX ADA ACCESSIBLE 42" TABLE, 2 SEATS, 178 LBS.
- 297-42-30TX ADA ACCESSIBLE 42" TABLE, 3 SEATS, 211 LBS.
- 297-42-40TX 42" TABLE, 4 SEATS, WG POLY LUMBER, 243 LBS.

### Steel Seats

- 297-36-20HS 36" TABLE, 2 SEATS, STEEL, 172 LBS.
- 297-36-40HS 36" TABLE, 4 SEATS, STEEL, 244 LBS.
- 297-42-20HS ADA ACCESSIBLE 42" TABLE, 2 SEATS, 184 LBS.
- 297-42-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 221 LBS.
- 297-42-40HS 42" TABLE, 4 SEATS, STEEL, 257 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request




297 Steel Seat


### MOUNTING OPTIONS



Ø36" Tabletop



Ø42" Tabletop





Five seat 294-50I Shown in Textured Charcoal finish/Ipe



294 Steel Seat



ADA Accessible 294-30HS



Four seat 294HS Shown in Textured Charcoal



Six seat 294HS Shown in Textured Charcoal

## TABLE 294

### Ipe Seats

294-30I ADA ACCESSIBLE 42" TABLE, 3 SEATS, 286 LBS.

294-40I 42" TABLE, 4 SEATS, IPE, 328 LBS.

294-50I 42" TABLE, 5 SEATS, IPE, 394 LBS.

294-60I 42" TABLE, 6 SEATS, IPE, 459 LBS.

### Thermally Modified Red Oak Seats

294-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 280 LBS.

294-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 319 LBS.

294-50TMR 42" TABLE, 5 SEATS, TM RED OAK, 383 LBS.

294-60TMR 42" TABLE, 6 SEATS, TM RED OAK, 456 LBS.

### Wood Grain Poly Lumber Seats

294-30TX ADA ACCESSIBLE 42" TABLE, 3 SEATS, 272 LBS.

294-40TX 42" TABLE, 4 SEATS, WG POLY LUMBER, 308 LBS.

294-50TX 42" TABLE, 5 SEATS, WG POLY LUMBER, 370 LBS.

294-60TX 42" TABLE, 6 SEATS, WG POLY LUMBER, 430 LBS.

### Steel Seats


294-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 287 LBS.

294-40HS 42" TABLE, 4 SEATS, STEEL, 328 LBS.

294-50HS 42" TABLE, 5 SEATS, STEEL, 396 LBS.

294-60HS 42" TABLE, 6 SEATS, STEEL, 460 LBS.

• Optional umbrella hole available upon request





Five seat 295-50I Shown in Textured Charcoal finish/Ipe

## TABLE 295

### Ipe Seats

295-30I ADA ACCESSIBLE 42" TABLE, 3 SEATS, 241 LBS.

295-40I 42" TABLE, 4 SEATS, IPE, 268 LBS.

295-50I 42" TABLE, 5 SEATS, IPE, 318 LBS.

295-60I 42" TABLE, 6 SEATS, IPE, 368 LBS.

### Thermally Modified Red Oak Seats

295-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 236 LBS.

295-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 260 LBS.

295-50TMR 42" TABLE, 5 SEATS, TM RED OAK, 309 LBS.

295-60TMR 42" TABLE, 6 SEATS, TM RED OAK, 356 LBS.

### Wood Grain Poly Lumber Seats

295-30TX ADA ACCESSIBLE 42" TABLE, 3 SEATS, 234 LBS.

295-40TX 42" TABLE, 4 SEATS, WG POLY LUMBER, 259 LBS.

295-50TX 42" TABLE, 5 SEATS, WG POLY LUMBER, 306 LBS.

295-60TX 42" TABLE, 6 SEATS, WG POLY LUMBER, 354 LBS.

### Steel Seats

295-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 244 LBS.

295-40HS 42" TABLE, 4 SEATS, STEEL, 272 LBS.


295-50HS 42" TABLE, 5 SEATS, STEEL, 323 LBS.

295-60HS 42" TABLE, 6 SEATS, STEEL, 374 LBS.

- Optional umbrella hole available upon request



295 Steel Seat





2981 Shown in Textured Silver finish/lpe



298-60HS Shown in Black

## TABLE SET 298

### Ipe Surfaces

298-60I 6' LONG TABLE SET, IPE, 500 LBS.

298-60-2I ADA ACCESSIBLE TABLE SET, IPE, 500 LBS.

### Thermally Modified Red Oak Surfaces

298-60TMR 6' LONG TABLE SET, TM RED OAK, 450 LBS.

298-60-2TMR ADA ACCESSIBLE TABLE SET, TM RED OAK, 450 LBS.

### Poly Lumber Surfaces

298-60PL 6' LONG TABLE SET, POLY LUMBER, 447 LBS.

298-60-2PL ADA ACCESSIBLE TABLE SET, POLY LUMBER, 447 LBS.

### Wood Grain Poly Lumber Surfaces

298-60TX 6' LONG TABLE SET, WOOD GRAIN POLY LUMBER, 447 LBS.

298-60-2TX ADA ACCESSIBLE TABLE SET, WOOD GRAIN POLY LUMBER, 447 LBS.

### Steel Surfaces

298-60HS 6' LONG TABLE SET, STEEL, 472 LBS.



298-60-2HS ADA ACCESSIBLE TABLE SET, STEEL, 472 LBS.

Support Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request



Ipe, Thermally Modified Red Oak, or Poly Lumber



### MOUNTING OPTIONS





Shown in Black

## TABLE 448

- 448-32 TABLE, 35-1/2" SQ, 2 SEATS, 287 LBS.
- 448-33 TABLE, 35-1/2" SQ, 3 SEATS, 337 LBS.
- 448-34 TABLE, 35-1/2" SQ, 4 SEATS, 387 LBS.
- 448-42 ADA TABLE, 47-1/2" SQ, 2 SEATS, 414 LBS.
- 448-43 ADA TABLE, 47-1/2" SQ, 3 SEATS, 476 LBS.
- 448-44 TABLE, 47-1/2" SQ, 4 SEATS, 538 LBS.



Optional game board available upon request  
 Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request



448 with game board

### MOUNTING OPTIONS






Shown in Argento

**TABLE 101**

- 101-20 TABLE, 2 SEATS, 242 LBS.
- 101-30 ADA ACCESSIBLE TABLE, 3 SEATS, 297 LBS.
- 101-40 TABLE, 4 SEATS, 344 LBS.
- Optional umbrella hole available upon request





Shown in Textured Silver finish/lpe

## TABLE 76

### Douglas Fir slats

76-22D ADA, 2 SEATS, 2" X 4" SLATS, 296 LBS.

76-32D ADA, 2 SEATS, 3" X 4" SLATS, 358 LBS.

76-23D ADA, 3 SEATS, 2" X 4" SLATS, 356 LBS.

76-33D ADA, 3 SEATS, 3" X 4" SLATS, 427 LBS.

76-24D 4 SEATS, 2" X 4" SLATS, 416 LBS.

76-34D 4 SEATS, 3" X 4" SLATS, 496 LBS.

### Ipe slats

76-22I ADA, 2 SEATS, 2" X 4" SLATS, 366 LBS.

76-23I ADA, 3 SEATS, 2" X 4" SLATS, 437 LBS.

76-24I 4 SEATS, 2" X 4" SLATS, 507 LBS.

### Thermally Modified Red Oak slats

76-22TMR ADA, 2 SEATS, 2" X 4" SLATS, 296 LBS.

76-23TMR ADA, 3 SEATS, 2" X 4" SLATS, 356 LBS.

76-24TMR 4 SEATS, 2" X 4" SLATS, 416 LBS.

### Poly Lumber slats

76-22PL ADA, 2 SEATS, 2" X 4" SLATS, 333 LBS.

76-32PL ADA, 2 SEATS, 3" X 4" SLATS, 386 LBS.

76-23PL ADA, 3 SEATS, 2" X 4" SLATS, 398 LBS.

76-33PL ADA, 3 SEATS, 3" X 4" SLATS, 459 LBS.

76-24PL 4 SEATS, 2" X 4" SLATS, 462 LBS.

76-34PL 4 SEATS, 3" X 4" SLATS, 531 LBS.

### Wood Grain Poly Lumber slats


76-22TX ADA, 2 SEATS, 2" X 4" SLATS, 333 LBS.

76-23TX ADA, 3 SEATS, 2" X 4" SLATS, 398 LBS.


76-24TX 4 SEATS, 2" X 4" SLATS, 462 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request
- Four foot square table top



### MOUNTING OPTIONS





Shown in Blue finish/Cedar Poly Lumber

## GAME TABLE 78

### Douglas Fir slats

78-32D 2 SEATS, 3" X 4" SLATS, 233 LBS.

78-33ADAD ADA ACCESSIBLE, 3 SEATS, 318 LBS.

78-34D 4 SEATS, 3" X 4" SLATS, 368 LBS.

### Poly Lumber slats

78-32PL 2 SEATS, 3" X 4" SLATS, 245 LBS.

78-33ADAPL ADA ACCESSIBLE, 3 SEATS, 335 LBS.


78-34PL 4 SEATS, 3" X 4" SLATS, 387 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request



Game Board



### MOUNTING OPTIONS





537-60TX Shown in RAL selection/Antique Mahogany



537-41TX Shown in Forest Green finish/Antique Mahogany

## TABLE 537

### Poly Lumber

537-40PL 4' ADA PICNIC TABLE, POLY LUMBER TOP/SEAT, 338 LBS.

537-41PL 4' ADA PICNIC TABLE, STEEL TOP,  
POLY LUMBER SEAT, 379 LBS.

537-60PL 6' ADA PICNIC TABLE, POLY LUMBER TOP/SEAT, 400 LBS.

537-61PL 6' ADA PICNIC TABLE, STEEL TOP,  
POLY LUMBER SEAT, 449 LBS.

### Sheet Poly Lumber

537-42PL 4' ADA PICNIC TABLE, SHEET POLY  
LUMBER TOP/SEAT, 420 LBS.

537-62PL 6' ADA PICNIC TABLE, SHEET POLY  
LUMBER TOP/SEAT, 500 LBS.

### Wood Grain Poly Lumber

537-40TX 4' ADA PICNIC TABLE, WOOD GRAIN  
POLY LUMBER TOP/SEAT, 338 LBS.

537-41TX 4' ADA PICNIC TABLE, STEEL TOP, WOOD  
GRAIN POLY LUMBER SEAT, 379 LBS.

537-60TX 6' ADA PICNIC TABLE, WOOD GRAIN  
POLY LUMBER TOP/SEAT, 400 LBS.

537-61TX 6' ADA PICNIC TABLE, STEEL TOP, WOOD  
GRAIN POLY LUMBER SEAT, 449 LBS.

### Ipe

537-40I 4' ADA PICNIC TABLE, IPE TOP/SEAT, 386 LBS.

537-41I 4' ADA PICNIC TABLE, STEEL TOP, IPE SEAT, 403 LBS.

537-60I 6' ADA PICNIC TABLE, IPE TOP/SEAT, 473 LBS.

537-61I 6' ADA PICNIC TABLE, STEEL TOP, IPE SEAT, 493 LBS.

### Thermally Modified Red Oak



537-40TMR 4' ADA PICNIC TABLE, THERMALLY  
MODIFIED RED OAK TOP/SEAT, 386 LBS.

537-41TMR 4' ADA PICNIC TABLE, STEEL TOP, THER-  
MALLY MODIFIED RED OAK SEAT, 403 LBS.

537-60TMR 6' ADA PICNIC TABLE, THERMALLY  
MODIFIED RED OAK TOP/SEAT, 473 LBS.

537-61TMR 6' ADA PICNIC TABLE, STEEL TOP, THER-  
MALLY MODIFIED RED OAK SEAT, 493 LBS.

- Optional umbrella hole available upon request






Shown in Juniper Green with Vertical Strap

## TABLE 464

### Table

- 464-60VS 6' TABLE, VERTICAL STRAP, 370 LBS.
  - 464-60HS 6' TABLE, HORIZONTAL STRAP, 449 LBS.
  - 464-60RB 6' TABLE, ROUND BAR, 410 LBS.
  - 464-60D 6' TABLE, DOUGLAS FIR, 363 LBS.
  - 464-60I 6' TABLE, IPE, 420 LBS.
  - 464-60TMR 6' TABLE, THERMALLY MODIFIED RED OAK, 363 LBS.
  - 464-60PL 6' TABLE, POLY LUMBER, 382 LBS.
  - 464-60TX 6' TABLE, WOOD GRAIN POLY LUMBER, 382 LBS.
- ADA Accessible Table**
- 464-68VS ADA ACCESSIBLE TABLE, VERTICAL STRAP, 404 LBS.
  - 464-68HS ADA ACCESSIBLE TABLE, HORIZONTAL STRAP, 491 LBS.
  - 464-68RB ADA ACCESSIBLE TABLE, ROUND BAR, 447 LBS.
  - 464-68D ADA ACCESSIBLE TABLE, DOUGLAS FIR, 394 LBS.
  - 464-68I ADA ACCESSIBLE TABLE, IPE, 462 LBS.
  - 464-68TMR ADA ACCESSIBLE TABLE, THERMALLY MODIFIED RED OAK, 394 LBS.
  - 464-68PL ADA ACCESSIBLE TABLE, POLY LUMBER, 411 LBS.
  - 464-68TX ADA ACCESSIBLE TABLE, WOOD GRAIN POLY LUMBER, 411 LBS.




Vertical Strap

Horizontal Strap

Round Bar

Douglas Fir, Ipe, Thermally Modified Red Oak

Poly Lumber and Wood Grain Poly Lumber





Shown in Juniper Green with Vertical Strap


**TABLE 463**

**Two Seats**

- 463-20VS 42" TABLE, 2 SEATS, VERTICAL STRAP, 291 LBS.
- 463-20HS 42" TABLE, 2 SEATS, HORIZONTAL STRAP, 315 LBS.
- 463-20RB 42" TABLE, 2 SEATS, ROUND BAR, 307 LBS.
- 463-20D 42" TABLE, 2 SEATS, DOUGLAS FIR, 301 LBS.
- 463-20I 42" TABLE, 2 SEATS, IPE, 311 LBS.
- 463-20TMR 42" TABLE, 2 SEATS, THERMALLY MODIFIED RED OAK, 301 LBS.
- 463-20PL 42" TABLE, 2 SEATS, POLY LUMBER, 302 LBS.
- 463-20TX 42" TABLE, 2 SEATS, WOOD GRAIN POLY LUMBER, 302 LBS.

**Four Seats**

- 463-40VS 42" TABLE, 4 SEATS, VERTICAL STRAP, 406 LBS.
- 463-40HS 42" TABLE, 4 SEATS, HORIZONTAL STRAP, 454 LBS.
- 463-40RB 42" TABLE, 4 SEATS, ROUND BAR, 442 LBS.
- 463-40D 42" TABLE, 4 SEATS, DOUGLAS FIR, 425 LBS.
- 463-40I 42" TABLE, 4 SEATS, IPE, 444 LBS.
- 463-40TMR 42" TABLE, 4 SEATS, THERMALLY MODIFIED RED OAK, 425 LBS.
- 463-40PL 42" TABLE, 4 SEATS, POLY LUMBER, 427 LBS.
- 463-40TX 42" TABLE, 4 SEATS, WOOD GRAIN POLY LUMBER, 427 LBS.





100-60PL Shown in Black finish/Cedar Poly Lumber



75-60D Shown in Bronze finish/Douglas Fir

## TABLE SET 75/100

### Douglas Fir slats

75-60D 6' TABLE, 507 LBS.

75-80D 8' TABLE, 570 LBS.

75-68-1D ADA ACCESSIBLE TABLE, 544 LBS.

### Poly Lumber slats

100-60PL 6' TABLE, 603 LBS.

100-80PL 8' TABLE, 695 LBS.

100-68-1PL ADA ACCESSIBLE TABLE, 654 LBS.


Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Optional umbrella hole available upon request


### MOUNTING OPTIONS







S-1  
EMBEDMENT



S-2  
SURFACE MOUNT



S-4  
SUB FLOOR



## CHAIRS AND TABLES



### TABLE 77

2-3/8" O.D. steel frames

**Powder Coat Frame**      **Hot Dip Galvanized Frame**

77-60D	77-60HGD	6' DOUGLAS FIR, 213 LBS.
77-80D	77-80HGD	8' DOUGLAS FIR, 251 LBS.
77-68-1D	77-68-1HGD	ADA ACCESSIBLE, DOUGLAS FIR, 234 LBS.
77-60A	77-60HGA	6' ALUMINUM, 153 LBS.
77-80A	77-80HGA	8' ALUMINUM, 168 LBS.
77-68-1A	77-68-1HGA	ADA ACCESSIBLE, ALUMINUM, 164 LBS.
77-60PL	77-60HGPL	6' POLY LUMBER, 284 LBS.
77-80PL	77-80HGPL	8' POLY LUMBER, 334 LBS.
77-68-1PL	77-68-1HGPL	ADA ACCESSIBLE, POLY LUMBER, 324 LBS.
77-20*	77-20HG*	FRAMES AND HARDWARE ONLY, 111 LBS.

• Special frames for Poly Lumber

• Optional umbrella hole available upon request

\*When purchasing 77 Series Frames, please indicate material and 6', 8', or ADA



### TABLE 71

1-5/8" O.D. steel frames

**Powder Coat Frame**      **Hot Dip Galvanized Frame**

71-60D	71-60HGD	6' DOUGLAS FIR, 170 LBS.
71-80D	71-80HGD	8' DOUGLAS FIR, 206 LBS.
71-68-1D	71-68-1HGD	ADA ACCESSIBLE, DOUGLAS FIR, 191 LBS.
71-60A	71-60HGA	6' ALUMINUM, 112 LBS.
71-80A	71-80HGA	8' ALUMINUM, 125 LBS.
71-68-1A	71-68-1HGA	ADA ACCESSIBLE, ALUMINUM, 123 LBS.
71-60PL	71-60HGPL	6' POLY LUMBER, 243 LBS.
71-80PL	71-80HGPL	8' POLY LUMBER, 292 LBS.
71-68-1PL	71-68-1HGPL	ADA ACCESSIBLE, POLY LUMBER, 284 LBS.

71-20\*      71-20HG\*      FRAMES AND HARDWARE ONLY, 67 LBS.

• Special frames for Poly Lumber

• Optional umbrella hole available upon request

\*When purchasing 77 Series Frames, please indicate material and 6', 8', or ADA



156-60 Shown uncoated w/Grey Poly Lumber

### TABLE 156

**Aluminum frame**

156-60PL 6' POLY LUMBER, 187 LBS.

156-80PL 8' POLY LUMBER, 234 LBS.

156-68-1PL ADA ACCESSIBLE, POLY LUMBER, 214 LBS.

For powder coated frames, additional cost

• Optional umbrella hole available upon request

SEE OTHER TABLE STYLES IN THE COLLECTIONS SECTION



p. 21



p. 55





PLANTERS,  
BIKE RACKS,  
GRILLS,  
ASH URNS,  
AND  
BOLLARDS



## PLANTER 440


440-17X17S ALL STEEL PLANTER, 17" X 17" SHORT, 66 LBS.

440-17X32S ALL STEEL PLANTER, 17" X 32" SHORT, 99 LBS.

440-17X17T ALL STEEL PLANTER, 17" X 17" TALL, 93 LBS.

440-17X32T ALL STEEL PLANTER, 17" X 32" TALL, 141 LBS.

• Only available in Textured Charcoal, Textured Grey, Textured Silver, Textured Black, and Textured Rust powder coat finishes



## PLANTER 441


441-15X15S ALL STEEL PLANTER, 15" X 15" SHORT, 56 LBS.

441-15X30S ALL STEEL PLANTER, 15" X 30" SHORT, 94 LBS.

441-15X15T ALL STEEL PLANTER, 15" X 15" TALL, 86 LBS.

441-15X30T ALL STEEL PLANTER, 15" X 30" TALL, 135 LBS.

• Only available in Textured Charcoal, Textured Grey, Textured Silver, Textured Black, and Textured Rust powder coat finishes






114 Shown in Deep Red

**PLANTER 114**

114-00 STEEL PLANTER, 108 LBS.

Optional self watering liner insert available upon request

- Complements Receptacles 84 and 157
- Sturdy polyethylene liner




431 Shown in Hunter Green

**PLANTER 431**

431-00 STEEL PLANTER, 86 LBS.

Optional self watering liner insert available upon request

- Complements Receptacle 429
- Sturdy polyethylene liner



159 Shown in Bronze w/shield


**PLANTER 159**

159-00 STEEL PLANTER, 137 LBS.

159-00SH STEEL PLANTER W/OPTIONAL STEEL SHIELD, 148 LBS.

Optional self watering liner insert available upon request

- Shown w/optional shield
- Complements Receptacle 158
- Sturdy polyethylene liner




184 Shown in Black

**PLANTER 184**

184-00 STEEL PLANTER, 118 LBS.

Optional self watering liner insert available upon request

- Sturdy polyethylene liner



p. 20

ADDITIONAL STYLE IN THE COLLECTIONS SECTION




290 Shown in Black

### BIKE RACK 290

Available in either powder coat finish 290-00 or hot dip galvanized 290-00HG

- S-1 EMBEDMENT, 34 LBS.
- S-2 SURFACE PLATE, 34 LBS.
- S-4 SUB FLOOR, 36 LBS.

- Mounting hardware included
- 2" SCH. 40 round pipe




291 Shown in Argento

### BIKE RACK 291

Available in either powder coat finish 291-00 or hot dip galvanized 291-00HG

- S-1 EMBEDMENT, 30 LBS.
- S-2 SURFACE PLATE, 31 LBS.
- S-4 SUB FLOOR, 30 LBS.

- Mounting hardware included
- 2" SQ x 1/4" wall steel tube




292 Shown in Black

### BIKE RACK 292

Available in either powder coat finish 292-00 or hot dip galvanized 292-00HG

- S-1 EMBEDMENT, 33 LBS.
- S-2 SURFACE PLATE, 39 LBS.
- S-4 SUB FLOOR, 35 LBS.

- Mounting hardware included
- 2" SCH. 40 round pipe




293 Shown in Argento

### BIKE RACK 293


Available in either powder coat finish 293-00 or hot dip galvanized 293-00HG

- S-1 EMBEDMENT, 29 LBS.
- S-2 SURFACE PLATE, 30 LBS.
- S-4 SUB FLOOR, 33 LBS.


- Mounting hardware included
- 2" SQ x 1/8" wall steel tube




#### MOUNTING OPTIONS



## BIKE RACKS



**BIKE RACK 125**  
2-7/8" O.D. Tubing



**BIKE RACK 130**  
2-3/8" O.D. Tubing

125-30 Shown in Black  
Shown with S-2 option covers

### BIKE RACK 125/130

Available in either powder coat finish or hot dip galvanized(HG)

125-20 2-7/8" O.D., HOLDS 5 BIKES, 97 LBS.

125-30 2-7/8" O.D., HOLDS 7 BIKES, 134 LBS.

125-40 2-7/8" O.D., HOLDS 9 BIKES, 170 LBS.

Mounting Options: S-1 and S-2

- Mounting hardware included

130-20 2-3/8" O.D., HOLDS 5 BIKES, 62 LBS.

130-30 2-3/8" O.D., HOLDS 7 BIKES, 85 LBS.

130-40 2-3/8" O.D., HOLDS 9 BIKES, 107 LBS.



83 Shown in Bronze  
Shown with S-2 option covers

### BIKE RACK 83


Available in either powder coat 83-00 finish or hot dip galvanized 83-00HG

S-1 EMBEDMENT, 31 LBS.


S-2 SURFACE PLATE, 37 LBS.

S-4 SUB FLOOR, 34 LBS.

- Mounting hardware included



#### MOUNTING OPTIONS



## BIKE RACKS



188-11 Shown in Black  
Shown with S-2 option covers

### BIKE RACK 188

- 188-05 41-1/4" LONG, 5 OPENINGS, 61 LBS.
  - 188-07 57-1/4" LONG, 7 OPENINGS, 70 LBS.
  - 188-09 73-1/4" LONG, 9 OPENINGS, 79 LBS.
  - 188-11 89-1/4" LONG, 11 OPENINGS, 89 LBS.
- Mounting Options: S-1 and S-2
- Mounting hardware included



466-60 Shown in Juniper Green

### BIKE RACK 466


- 466-60 STEEL BIKE RACK, 6 BIKES, 156 LBS.
- Mounting hardware included




199 Shown in Hunter Green

### BIKE RACK 199

- 199-00 SINGLE LOOP BIKE RACK, 24 LBS.
- Mounting Options: S-1 and S-2
- Mounting hardware included



#### MOUNTING OPTIONS



GRILLS & ASH URNS



**GRILL 21 & 22**

21-00 EMBEDMENT, 83 LBS.  
 21-00/S-2 SURFACE MOUNT, 83 LBS.  
 22-00 FREE STANDING, 105 LBS.



**GRILL 24**


24-00 EMBEDMENT, 242 LBS.  
 24-00/S-2 SURFACE MOUNT, 242 LBS.



80 Shown in Black

**ASH URN 80**

80-00 ALL-STEEL ASH URN, 51 LBS.



423 Shown in Black

**ASH URN 423**

423-00 ASH URN, 20 LBS.  
 • Side mount design  
 • Fits most tapered DuMor receptacles

## BOLLARDS



400 Shown in Black

### BOLLARD 400

400-36 36" HIGH 4" SCHEDULE 40 STEEL BOLLARD, 65 LBS.

400-42 42" HIGH 4" SCHEDULE 40 STEEL BOLLARD, 71 LBS.

Support Options: S-1, S-2, and S-1SL\*

\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



401 Shown in Juniper Green

### BOLLARD 401

401-36-2 36" HIGH BIKE BOLLARD-2 LOOPS, 76 LBS.

401-42-2 42" HIGH BIKE BOLLARD-2 LOOPS, 81 LBS.

Support Options: S-1, S-2, and S-1SL\*

\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



402 Shown in Argento

### BOLLARD 402

402-36 36" HIGH 6" SQUARE STEEL BOLLARD, 114 LBS.

402-42 42" HIGH 6" SQUARE STEEL BOLLARD, 124 LBS.

Support Options: S-1, S-2, and S-1SL\*

\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



451 Shown in Black

### BOLLARD 451

451-36 36" HIGH ROUND BOLLARD, 140 LBS.

451-42 42" HIGH ROUND BOLLARD, 151 LBS.

Support Options: S-1, S-2, and S-1X Secure w/8" pipe\*

\* For Bollards with support option S-1X, additional cost and add 154 lbs. to weight.



MOUNTING OPTIONS

# CUSTOM PLAQUES



An attractive and enduring way to show sponsorship of a DuMor bench is with a dedication plaque. Plaques are long lasting and offer versatility for detailed designs, crisp text, and illustrations. DuMor offers plaques in a wide range of sizes and shapes to meet specific needs. Most DuMor products can be fitted to display a dedication plaque; ask a DuMor Representative if your chosen product can accommodate a plaque to fit your specifications. Dedication plaques can be used in many ways including remembrance of a loved one, company logo, town or city name, quotes, sports teams, school name, or family name. Given the versatility of DuMor dedication plaques on site furniture, many communities have had great success fully funding both benches and plaques with "Sponsor a Bench" programs which allow people to contribute to the community and place a message on a plaque.

*Black and white camera-ready artwork is required for logos or special graphics. (Note: All requests are subject to our review and approval.)*

- DuMor mounts plaques so they are flush with seating surfaces



## CUSTOM CURVED BENCHES

With decades of experience creating site specific curved and continuous benches, DuMor's custom product department can design benches to nearly any radius your space requires. Contact a DuMor Representative with your bench preference and dimensions, and we will design a custom bench for your approval.





# DUMOR CUSTOM PRODUCTS

In addition to our comprehensive selection of standard products, DuMor provides custom design and fabrication options to meet the needs of designers and architects whose requirements aren't always met by off-the-shelf site furnishings. Choose from a variety of high-quality raw materials including wood, steel, and poly lumber, or customize with plaques and laser cut. DuMor's design flexibility makes creating a custom indoor or outdoor space easy and affordable. You'll see that DuMor's reputation for style and durability is reflected in every custom product. For more information on custom fabrication, please contact your local authorized DuMor Representative or call 800-598-4018.



68-856SB



39-601 w/6A-057



68-843-0002  
Letter Bike Rack



6A-251 w/440-24x60T



6A-581-6-2PL



69-463-4OUT  
Umbrella by other



6B-061PL, 6B-066PL, 6B-067PL, 6B-068PL



68-122-2AR



68-690-01



67-715



66-299-6



69-403 and 68-537



63-262 and 64-475-02



68-506-31-0001



68-092

# DUMOR CUSTOM PRODUCTS



68-208-4



64-283-23



69-594-6-4AR



63-611PL



Table 78PL w/Chair 165-20PL

# SUSTAINABILITY COMMITMENT

---

## ► Our Commitment to Sustainability

DuMor recognizes the importance of using recycled material in our entire product line. This reduces solid waste volumes in landfills, helps conserve natural resources, and limits the environmental impacts resulting from the extraction of virgin materials.

## ► Pre- and Post-consumer Recycled Content

We utilize pre- and post-consumer recycled material in all of our products. Pre-consumer material is material diverted from the waste stream during the manufacturing process. Post-consumer material contains waste material generated by households or by commercial, industrial, and institutional facilities in their role as end-users of the product which can no longer be used for its intended purpose. Please contact your local DuMor Representative for details on the pre- and post-consumer recycled content of our products.

## ► Eco-friendly Material Composition

Our product line is composed of three primary materials: steel, Poly Lumber, and sustainably-harvested wood, all of which possess eco-friendly attributes.

**Steel-** The majority of steel in our products contains over 80 percent recycled material, most of which is post-consumer. Our primary supplier of steel utilizes the Electric Arc Furnace (EAF) technology, which takes advantage of post-consumer scrap material for major feedstock, unlike blast furnace operations which use mined iron ore as major feedstock.

**Sustainably-Harvested Wood-** We make it a priority to purchase only sustainably-harvested wood derived from stringently-regulated timber source locations, including: California, Oregon, Washington, British Columbia, and Pennsylvania.

**Thermally Modified Red Oak-** Thermal Modification is a specialized process in which the wood is heated (using steam) to a very high temperature to transform it on a molecular level into a highly-durable outdoor material. Red Oak (*Quercus rubra*) is an abundant, mild to fast growing, sustainable hardwood harvested in North America. One of the most plentiful trees in the U.S., Red Oak accounts for 18% of the U.S. hardwood growing stock. Furthermore, the plentifulness of this species makes the replacement rate impressively low -- it takes 1.04 seconds for the U.S. forests to replace 1 cubic meter, that is faster than most other hardwoods including Maple, White Oak, Ash, and Cottonwood (Poplar) to name a few. Beyond abundance, Red Oak wood is notably a sustainable material due to the species' carbon sequestration potential. Over its growing life it is able to absorb an abundance of carbon removing human-caused emissions of the greenhouse gas carbon dioxide from the earth's atmosphere. When the wood is harvested and used, the carbon is not released back into the atmosphere like it would have been if the tree were to rot.

**Poly Lumber-** Many of our products feature the Poly Lumber product. Poly Lumber is manufactured partially using recycled material (post-consumer high-density polyethylene). We also donate our scrap poly to the manufacturing of new product, further reducing waste stream volumes.

## ► Compatibility with LEED® Rating System

Leadership for Energy and Environmental Design (LEED) is the world's most well-recognized and sought-after green building rating system, created and administered by the United States Green Building Council (USGBC). Achieving LEED certification is contingent upon earning credits, which provide guidelines for the design and construction of high performance, durable, healthful, affordable, and environmentally-sound buildings. Many of our products could help design teams earn LEED credits. Please contact your local Representative to learn more about how DuMor's products can help your project achieve LEED certification.



# NUMERICAL INDEX

## TERMS AND CONDITIONS

Prices are F.O.B. Mifflintown, PA, and are subject to change without notice. Terms are net 30 days from date of invoice to those customers with approved credit. All others, payment with order. Freight charges are as determined and collected by the carrier unless DuMor is instructed to prepay and add to the invoice for the merchandise. All products manufactured by DuMor, Inc., are warranted against defect in materials and/or workmanship and in accordance with our published specifications for a period of five years. In addition to our standard five-year warranty on all products, DuMor also offers a limited twenty-year warranty against structural failure of all steel bench frames or complete steel bench assemblies, table frames, litter receptacle frames, steel planters and all cast iron and aluminum bench supports; limited ten-year warranty against structural failure of recycled plastic. These warranties cover only those items which have been installed and properly maintained according to our detailed instructions. These warranties do not cover claims for items having been subjected to misuse, neglect, accident, or vandalism. Contact your local DuMor Representative for details of the extended warranty program. DuMor is not responsible for loss or damage of products in transit. Any shortages or damage should be noted on the freight bill before signing. In the interest of product improvement, DuMor reserves the right to alter product design, material selection, or construction without notice.

The following benches are protected by The following benches are protected by U.S. Patent D632-104: Bench 185, 194. The following benches are protected by U.S. Patent D629-234: Bench 186, 195.

### MODEL..... PAGE

11	Bench	73
17	Receptacle	15
19	Bench	22
21/22	Grill	127
24	Grill	127
34	Bench	75
35	Bench	75
37	Bench	77
39	Bench	76
41	Receptacle	87
51	Bench	76
56	Bench	73
57	Bench	24
58	Bench	19
59	Bench	56
70	Receptacle	88
71	Table	119
75	Table	118
76	Table	112
77	Table	119
78	Game Table	113
80	Ash Urn	127
83	Bike Rack	125
84	Receptacle	80
87	Receptacle	82
88	Bench	72
89	Receptacle	57
91	Bench	25
92	Bench	19
93	Bench	12
94	Bench	14
95	Bench	13
100	Table	118
101	Table	111
102	Receptacle	20
103	Bench	72
104	Bench	57
105	Bench	73
106	Bench	23
107	Receptacle	82
114	Planter	123
117	Bench	16
118	Bench	17
119	Bench	26
120	Bench	27
122	Planter	20
124	Receptacle	25
125	Bike Rack	125
130	Bike Rack	125
131	Bench	75
138	Bench	74
139	Bench	74
140	Bench	30
143	Bench	32
144	Bench	31
148	Receptacle	29
152	Receptacle	33

### MODEL..... PAGE

156	Table	119
157	Receptacle	81
158	Receptacle	80
159	Planter	123
160	Bench	38
162	Bench	28
163	Bench	77
164	Bench	39
165	Bench	40
166	Bench	41
168	Bench	38
170	Receptacle	87
173	Bench	39
182	Receptacle	83
184	Planter	123
188	Bike Rack	126
190	Bench	42
191	Bench	43
199	Bike Rack	126
200/300 Series		89
270	Bench	48
271	Bench	49
272	Receptacle	49
282	Bench	35
283	Bench	35
284	Bench	37
285	Bench	37
286	Receptacle	84
287	Receptacle	84
290	Bike Rack	124
291	Bike Rack	124
292	Bike Rack	124
293	Bike Rack	124
294	Table	106
295	Table	107
296	Table	104
297	Table	105
298	Table	109
299	Table	103
400-402 Bollards		128
423	Ash Urn	127
429	Receptacle	43
431	Planter	123
432	Receptacle	83
434	Receptacle	86
435	Receptacle	86
436	Receptacle	85
437	Receptacle	85
438	Receptacle	81
440	Planter	122
441	Planter	122
443	Table	21
446	Bench	34
447	Bench	36
448	Table	110
451	Bollard	128
463	Table	117

### MODEL..... PAGE

464	Table	116
466	Bike Rack	126
470	Bench	54
471	Bench	54
472	Bench	52
473	Bench	53
474	Receptacle	53
475	Table	55
481	Chair	101
482	Table	101
483	Chair	99
484	Table	99
485	Table	95
490	Bench	6
491	Bench	7
492	Bench	7
493	Bench	8
494	Bench	9
495	Bench	9
496	Bench	10
497	Bench	11
498	Bench	11
500	Bench	50
501	Bench	51
502	Receptacle	51
505	Bench	45
506	Bench	46
507	Bench	47
510	Chair	95
511	Stool	97
512	Lounge Chair	96
513	Bench	95
514	Table	95
515	Table	97
516	Table	96
520	Bench	61
521	Bench	61
522	Bench	61
523	Bench	61
524	Seat Island	65
525/526 Table		66
528	Bench Connector	64
530	Bench	59
533	Chair	93
535	Bench	71
537	Table	115
Continuous 520/522		62
Continuous 521/523		62
Continuous R520		63
Continuous R521		63
Contour Strap Curved Benches		67
Custom Curved Benches		130-131
Custom Fabrication		132-135
Custom Plaques		129
Finishes/Color		3



DuMor, Inc.  
DUMOR.COM

138 Industrial Circle  
Mifflintown, PA 17059

Phone: 717-436-2106  
Toll-Free: 800-598-4018